

Motobility

You've got a friend

ndis

REGISTERED
PROVIDER



ALLIED HEALTH PROFESSIONALS INFORMATION PACK

SCOOTERS • ELECTRIC WHEELCHAIRS • ADJUSTABLE BEDS • LIFT & RECLINE CHAIRS • STAIRLIFTS • HOISTS

CONTENTS

01

About Us

02

Travel Scooters

08

Portable Scooters

12

Medium Scooters

16

Large Scooters

19

Electric Wheelchairs

25

Manual
Wheelchairs

27

Hoists and Mobility
Accessories

28

Rollators and
Walking Aids

34

Other Mobility Aids

36

Adjustable Beds

52

Lift and Recline
Chairs

65

Stairlifts

78

Platform Lifts

82

Our Showroom
and Services

ABOUT US



Since 2001 Motobility, formally known as Bluesky Healthcare has been a leading provider of quality and stylish mobility solutions, dedicated to helping Australian's enjoy a better quality of life.

Our extensive range of custom-made mobility products are specifically designed and manufactured to help you overcome mobility challenges and maintain a healthy and balanced way of life.



Free In-Home
Test Drives



Australian Owned
& Operated



Mobile Servicing
& Repairs



Friendly &
Knowledgeable Staff



Roadside
Assistance

TRAVEL SCOOTERS

**Folds into
a suitcase
sized package**



- Easy one-step folding
- Plane safe lithium battery
- Puncture Proof Tyres



- Folds flat on the ground
- Plane safe lithium battery
- Extra spare battery well



- Automatic folding
- Rear suspension
- Padded seat with armrests

Specifications	Solax MobiFree PS1020	Solax MobiFree Flat PS1085R	Solax Transformer Comfort Pro - PS1200
ISO Certification	13485:2016, 0993-1 :2009	TBC	13485:2016, 10993-1 :2009
Adjustable Seat Height	No	No	No
Adjustable Tiller Angle	No	Yes	Yes
Adjustable Tiller height	Yes 660mm - 950mm	Yes 400mm - 750mm	Yes 660mm - 900mm
Anti Tip Mechanism	Rear Anti-Tip Wheels	Rear Anti Tip Wheel	Rear Anti-Tip Wheels
Armrests	Yes	Yes	Yes
Battery Type & Size	24V/10ah Lithium	10AH Lithium Battery	24V/10ah x 1 (Lithium)
Battery Range (km)	up to 15km	TBC	Up to 15km
Battery weight (kg)	1.7kg	1.8kg	1.7kg
Charger	24 V 2Ah Off-Board Lithium	24 V 2Ah Off-Board Lithium	24 V 2Ah Off-Board Lithium
Dimensions (mm) L x W x H	969 x 530 x 950	967 x 542 x 868	970 x 600x 900
Dimensions when folded (mm)	343 x 530	967 x 470 x 350	420 x 600 x 630
Dimension between armrests	455mm	545mm	500mm
Drive wheel size (mm)	170mm	178mm	170mm
Front Wheel (mm)	150mm	152mm	140mm
Ground Clearance (mm)	40mm	105mm	45mm
Lights (YES/NO)	No	No	Yes
Max Speed (km/h)	6km/h	6km/h	6km/h
Mirrors?	No	No	No
Motor	24V 120W	24V 120W	24V 120W
Number of components	1 + Battery	1+ Battery	1+ Battery
Seat Dimensions(mm) WxD	420mm x 370mm	390mm x 360mm	430mm x 400mm
Removable Armrest	Yes	Yes	Yes
Seat height from Deck (mm)	370mm	340mm	558mm
Seat height from Floor (mm)	530mm	440mm	628mm
Seat padding	Medium/Light	Light	Medium
Suspension	No	TBC	Front & Rear
Swivel Seat	No	No	No
Slope ability (degrees)	10°	0-12°	10°
Turning Radius (mm)	1400mm	1400mm	1397mm
Tyres	Solid Puncture Proof	Solid Puncture Proof	Solid Puncture-Proof
Weight Capacity (kg)	125kg	125kg	125kg
Weight with Battery	22.3kg	23.6kg	29.25kg
Weight w/o battery (kg)	20.5kg	21.8kg	27.55kg
Wheel to Wheel	710mm	360mm	730mm

TRAVEL SCOOTERS

**Folds into
a suitcase
sized package**



- Remote control automatic folding
- Ergonomic handle bars
- Digital dashboard display



- Lightweight carbon fibre frame
- Remote control automatic folding
- Digital dashboard display

Specifications	Solax Maleta V2 - PS1101	Solax Maleta Carbon Fibre - PS1111
ISO Certification	13485:2016, 10993-1 :2009	13485:2016, 10993-1 :2009
Adjustable Seat Height	No	No
Adjustable Tiller Angle	No	No
Adjustable Tiller height	Yes 640mm - 940mm	Yes 640mm - 940mm
Anti Tip Mechanism	Rear Anti-Tip Wheels	Rear Anti-Tip Wheels
Armrests	No	No
Battery Type & Size	24V/5Ah Lithium x 2	24V/5ah x 2 (Lithium)
Battery Range (km)	Up to 15km	Up to 15km
Battery weight (kg)	0.85kg x 2	0.85kg x 2
Charger	24 V 2Ah Off-Board Lithium	24 V 2Ah Off-Board Lithium
Dimensions (mm) L x W x H	940 x 450 x 950	940 x 450 x 950
Dimensions when folded (mm)	280 x 450 x 640	280 x 450 x 640
Dimension between armrests	N/A	N/A
Drive wheel size (mm)	178mm	178mm
Front Wheel (mm)	150mm	150mm
Ground Clearance (mm)	40mm	40mm
Lights (YES/NO)	Front, Rear and deck lights	Front, Rear and ambient-deck-lights
Max Speed (km/h)	6km/h	6km/h
Mirrors?	No	No
Motor	24V 120W	24V 120W
Number of components	1 + Batteries (x2)	1+ Batteries (x2)
Seat Dimensions(mm) WxD	400mm x 315mm	400mm x 315mm
Removable Armrest	N/A	N/A
Seat height from Deck (mm)	340mm	350mm
Seat height from Floor (mm)	510mm	520mm
Seat padding	Medium/Light	Medium/Light
Suspension	No	No
Swivel Seat	No	No
Slope ability (degrees)	10°	10°
Turning Radius (mm)	1550mm	1550mm
Tyres	Solid Puncture-Proof	Solid Puncture-Proof
Weight Capacity (kg)	125kg	125kg
Weight with Battery	25.5kg	21.5kg
Weight w/o battery (kg)	23.8kg	19.8kg
Wheel to Wheel	720mm	720mm

TRAVEL SCOOTERS

**Folds into
a suitcase
sized package**



- Carbon fibre frame
- Weighs just 14.5kg
- Removable armrests



- Automatic folding
- Digital dashboard display
- USB phone charging port



- Automatic folding
- Weighs just 23.1kg
- Lithium battery

Specifications	Solax Swift - PS1120	Solax Charge - PS1240	Heartway Easy Move - PS0021
ISO Certification	EN 12184:2022, ISO 7176-1,8,11,14,19:2022	13485:2016, 10993-1 :2009	AS/NZS3695.2:2013
Adjustable Seat Height	No	No	No
Adjustable Tiller Angle	No	Yes	No
Adjustable Tiller height	Yes 810 - 970mm	Yes 430 - 710mm	Yes 710 - 800mm
Anti Tip Mechanism	Rear Anti-Tip Wheels	Rear Anti-Tip Wheels	Rear Anti Tip Wheel
Armrests	Yes	Yes	No
Battery Type & Size	24V/10ah x 1 (Lithium)	24V/10ah x 1 (Lithium)	24v 8.7AH Li-Ion
Battery Range (km)	Up to 15km	Up to 15km	up to 15km
Battery weight (kg)	1.7kg	1.7kg	1.45kg
Charger	29.4V 2A	24 V 2Ah Off-Board Lithium	110/240V 2A Off-Board Li-Ion
Dimensions (mm) L x W x H	960 x 460 x 810 - 970mm	1040 x 560 x 830mm	900 x 420 x 760-860mm
Dimensions when folded (mm)	480 x 460 x 660mm	450 x 560 x 650mm	760 x 420 x 430mm
Dimension between armrests	450mm	480mm	N/A
Drive wheel size (mm)	180mm	170mm	203mm
Front Wheel (mm)	180mm	150mm	190mm
Ground Clearance (mm)	60mm	38mm	30mm
Lights (YES/NO)	Yes	Front Light	Yes
Max Speed (km/h)	6km/h	6km/h	6km/h
Mirrors?	No	Optional Extra	No
Motor	150 Watt (Gear Ratio 20:1)	24V 120W	24V 180W
Number of components	1 + Battery	1 + Battery	1+ Battery
Seat Dimensions(mm) WxD	400 x 370mm	430 x 340mm	400 x 320mm
Removable Armrest	Yes	No	N/A
Seat height from Deck (mm)	400mm	380mm	370mm
Seat height from Floor (mm)	560mm	500mm	520mm
Seat padding	Medium	Medium	Light
Suspension	Rear Suspension	Rear Suspension	Indigo Suspension
Swivel Seat	No	No	No
Slope ability (degrees)	10°	10°	3°
Turning Radius (mm)	1478mm	1400mm	1000mm
Tyres	Solid Puncture-Proof	Solid Puncture-Proof	Solid Puncture-Proof
Weight Capacity (kg)	125kg	125kg	115kg
Weight with Battery	14.5kg	26.3kg	23.15kg
Weight w/o battery (kg)	12.8kg	24.6kg	21.7kg
Wheel to Wheel	720mm	740mm	435mm

TRAVEL SCOOTERS

**Folds into
a suitcase
sized package**



- One piece easy fold
- Folds into a neat package
- Adjustable tiller



- 145kg weight capacity
- Plane safe lithium battery
- Folds into a neat package

Specifications	Luggie Standard - PS5110	Luggie Elite - PS5120
ISO Certification	ISO 13485:216, ISO 14971:2012	ISO 13485:216, ISO 14971:2012
Adjustable Seat Height	Yes - 2 height settings	Yes - 2 height settings
Adjustable Tiller Angle	Yes	Yes
Adjustable Tiller height	Yes 460mm - 780mm	Yes 460mm - 780mm
Anti Tip Mechanism	Rear Anti-Tip wheels	Rear Anti-Tip Wheels
Armrests	Optional Extra	Yes
Battery Type & Size	8.5Ah Lithium	24V/10.5ah x 1 (Lithium)
Battery Range (km)	10 - 20km	15 - 25km
Battery weight (kg)	2kg	2kg
Charger	24V 5Ah Off-Board Lithium	24V 5Ah Off-Board Lithium
Dimensions (mm) L x W x H	950 x 455	970 x 510 x 900
Dimensions when folded (mm)	660 x 455 x 432	635 x 432 x 432
Dimension between armrests	410 - 570	410 - 570
Drive wheel size (mm)	178mm	178mm
Front Wheel (mm)	150mm	150mm
Ground Clearance (mm)	37mm	37mm
Lights (YES/NO)	No	No
Max Speed (km/h)	6.4km/h	6.4km/h
Mirrors?	No	No
Motor	24V 120W	24v 120w
Number of components	1 + Battery	1 + Battery
Seat Dimensions(mm) WxD	390mm x 370mm	390mm x 370mm
Removable Armrest	Optional Extra	Yes
Seat height from Deck (mm)	370mm or 420mm	370mm or 420mm
Seat height from Floor (mm)	505mm or 555mm	505mm or 555mm
Seat padding	Light	Light
Suspension	No	No
Swivel Seat	No	No
Slope ability (degrees)	6°	6°
Turning Radius (mm)	900mm	900mm
Tyres	Solid Puncture-Proof	Solid Puncture-Proof
Weight Capacity (kg)	114kg	145kg
Weight with Battery	25.5kg	28.4kg
Weight w/o battery (kg)	23.5kg	26.4kg
Wheel to Wheel	770mm	720mm

TRAVEL SCOOTERS

Plane safe
lithium
batteries



- Rear pneumatic tyres
- G-sensor cornering assist
- Front-wheel suspension



- Wide front tyre design
- G-sensor cornering assist
- Front-wheel suspension

Specifications	Luggie Elite Plus - PS5121	Luggie Elite Deluxe - PS5122
ISO Certification	ISO 13485:216, ISO 14971:2012	ISO 13485:216, ISO 14971:2012
Adjustable Seat Height	Yes - 2 height settings	Yes - 2 height settings
Adjustable Tiller Angle	Yes	Yes
Adjustable Tiller height	Yes 460mm - 780mm	Yes 460mm - 780mm
Anti Tip Mechanism	Rear Anti-Tip wheels Corner assist/slow down	Rear Anti-Tip Wheels
Armrests	Yes	Yes
Battery Type & Size	24V/10.5ah x 1 (Lithium)	24v 10.5AH Li-Ion
Battery Range (km)	15km - 25km	15 - 25km
Battery weight (kg)	2kg	2kg
Charger	24V 5Ah Off-Board Lithium	24V 5Ah Off-Board Lithium
Dimensions (mm) L x W x H	990 x 455	970 x 515 x 885
Dimensions when folded (mm)	635 x 432 x 432	394 x 515 x 648
Dimension between armrests	410 - 570	410 - 570
Drive wheel size (mm)	210mm	216mm
Front Wheel (mm)	150mm	150mm
Ground Clearance (mm)	45mm	45mm
Lights (YES/NO)	No	No
Max Speed (km/h)	6.4km/h	6.4km/h
Mirrors?	No	No
Motor	24V 120W	24V 150W
Number of components	1 + Battery	1 + Battery
Seat Dimensions(mm) WxD	390mm x 370mm	390mm x 370mm
Removable Armrest	Yes	Yes
Seat height from Deck (mm)	370mm or 420mm	370mm or 420mm
Seat height from Floor (mm)	505mm or 555mm	505mm or 555mm
Seat padding	Light	Light
Suspension	Front Omni Suspension	Front
Swivel Seat	No	No
Slope ability (degrees)	6°	6°
Turning Radius (mm)	950mm	1050mm
Tyres	Front: Solid, Rear: Pneumatic	Front: Solid, Rear: Pneumatic
Weight Capacity (kg)	145kg	145kg
Weight with Battery	28.2kg	31.3kg
Weight w/o battery (kg)	26.2kg	29.3kg
Wheel to Wheel	700mm	668mm

TRAVEL SCOOTERS

Front wheel suspension for added comfort



- G-sensor cornering assist
- Front-wheel suspension
- Folds into a neat package



- G-sensor cornering assist
- Front-wheel suspension
- Under-seat storage bag

Specifications	Luggie Super Plus - PS5131	Luggie Super Deluxe - PS5133
ISO Certification	ISO 13485:216, ISO 14971:2012	ISO 13485:216, ISO 14971:2012
Adjustable Seat Height	Yes - 2 height settings	Yes - 2 height settings
Adjustable Tiller Angle	Yes	Yes
Adjustable Tiller height	Yes 460mm - 780mm	Yes 460mm - 780mm
Anti Tip Mechanism	Rear Anti-Tip Wheels Corner Assist	Rear Anti-Tip Wheels
Armrests	Yes	Yes
Battery Type & Size	24V/10.5ah x 1 (Lithium)	24v 10.5AH Li-Ion
Battery Range (km)	15 - 25km	20 - 25km
Battery weight (kg)	2kg	2kg
Charger	24V 5Ah Off-Board Lithium	24V 5Ah Off-Board Lithium
Dimensions (mm) L x W x H	990 x 525	990 x 580 x 885
Dimensions when folded (mm)	660 x 525	394 x 445 x 648
Dimension between armrests	460 - 620	460 - 620
Drive wheel size (mm)	216mm	216mm
Front Wheel (mm)	150mm	150mm
Ground Clearance (mm)	40mm	40mm
Lights (YES/NO)	No	No
Max Speed (km/h)	7.5km/h	7.5km/h
Mirrors?	No	No
Motor	24V 150W	24V 150W
Number of components	1 + Battery	1 + Battery
Seat Dimensions(mm) WxD	420mm x 440mm	420mm x 440mm
Removable Armrest	Yes	Yes
Seat height from Deck (mm)	370mm or 420mm	370mm or 420mm
Seat height from Floor (mm)	505mm or 555mm	505mm or 555mm
Seat padding	Light	Light
Suspension	Front	Front
Swivel Seat	No	No
Slope ability (degrees)	6°	6°
Turning Radius (mm)	950mm	1050mm
Tyres	Front: Solid, Rear: Pneumatic	Front: Solid, Rear: Pneumatic
Weight Capacity (kg)	163kg	163kg
Weight with Battery	31.7kg	35.2kg
Weight w/o battery (kg)	29.7kg	33.2kg
Wheel to Wheel	tbc	668mm

PORTABLE SCOOTERS

Fits in
the boot of
your car



- Lithium battery
- Portable
- USB phone charging



- Incredibly light - just 18kg
- Very easy to dismantle
- Heaviest part is 11.9kg



- Incredibly light - just 20.4kg
- Very easy to dismantle
- Electronic stability system

Specifications	Sweetrich Air Classic - PS6200	Supascoota Microlite - PS4080	Supascoota Supalite - PS4100
ISO Certification	ISO 9001 13485	ISO 13485:2016, EN ISO 13485:2016	ISO 13485:2016, EN ISO 13485:2016
Adjustable Armrests	Yes	N/A	Optional extra
Adjustable Backrest	No	No	No
Adjustable Seat Height	Yes	No	No
Adjustable Tiller Angle	Yes	No	No
Adjustable Tiller Height	No	No	No
Anti-Tip Mechanism	Rear anti tip wheels	Rear anti tip wheels	Rear anti tip wheels
Armrests	Yes	No	No
Battery	24V 12Ah Lithium	25.2v 10.5Ah Lithium, Optional upgrade to: 25.2v 14Ah (not suited to air travel)	25.2v 10.5Ah Lithium, Optional upgrade to: 25.2v 14Ah (not suited to air travel)
Battery Range	Up to 15km	Up to 13km (Up to 17km w/upgrade)	Up to 13km (Up to 17km w/upgrade)
Battery Weight	3.4kg	18kg	1.8kg
Dimensions (L x W x H)	1100 x 490 x 840mm	930 x 500 x 950mm	970 x 570 x 950mm
Distance between armrests	445mm	N/A	380 - 500mm
Drive Wheel	190mm	175mm	200mm
Ground Clearance	50mm	45mm	50mm
Headrest	No	No	No
Heaviest part	12.75kg	11.9kg	13.6kg
High/Low Speed Selection	No	Yes	Yes
Lights	Yes	No	No
Lithium Battery	Yes	Yes	Yes
Maximum Speed	6km/h	6.5km/h	6.5km/h
Motor	250W brushless	230W	260W
number of components	2 + Battery	2 + Battery	2 + Battery
Seat Dimensions	390mm x 435mm	395mm x 370mm	405 x 390mm
Seat height from Deck	430mm	425mm	425mm
Seat height from floor	565mm	530mm	530mm
Seat padding	Medium	Light	Light
Slope ability	8°	8°	8°
Suspension	No	No	No
Swivel seat	Yes	No	No
Turning Radius	1080mm	820mm	860mm
Tyres	Solid Puncture proof	Solid Puncture proof	Pneumatic
Weight Capacity	120kg	100kg	120kg
Weight with Battery	26kg	18kg	20.4kg
Weight without battery	22.6kg	16.2kg	18.6kg
Wheel to Wheel	770mm	770mm	780mm

PORTABLE SCOOTERS

Easy to
pull apart for
transport



- Incredibly light - just 14.8kg
- Very easy to dismantle
- Electronic stability system



- Incredibly light - just 15.6kg
- Very easy to dismantle
- Excellent travel distance



- Powerful motor & electronics
- Very easy to dismantle
- Tight turning circle

Specifications	Supascoota Supalite 4 - PS4104	Supascoota Supalite 4 Sport - PS4105	Monarch Buzz 4 - PS5200
ISO Certification	ISO 13485:2016, EN ISO 13485:2016	ISO 13485:2016, EN ISO 13485:2016	TBA
Adjustable Armrests	Yes	Yes	Yes
Adjustable Backrest	No	No	No
Adjustable Seat Height	No	No	Yes
Adjustable Tiller Angle	No	No	Yes
Adjustable Tiller Height	No	No	No
Anti-Tip Mechanism	Rear anti tip & Cornering Assist	Rear anti tip & Cornering Assist	Rear anti tip wheels
Armrests	Yes	Yes	Yes
Battery	25.2v 10.5Ah Lithium, Optional upgrade to: 25.2v 14Ah (not suited to air travel)	25.2v 10.5Ah Lithium, Optional upgrade to: 25.2v 14Ah (not suited to air travel)	2 x 18AH SLA
Battery Range	Up to 13km (Up to 17km with upgrade)	Up to 13km (Up to 17km with upgrade)	Up to 15km
Battery Weight	1.8kg	1.8kg	~10kg
Dimensions (L x W x H)	990 x 570 x 950mm	1015 x 560 x 860mm	1050 x 550 x 880-900mm
Distance between armrests	380 - 500mm	380 - 500mm	430 - 450mm
Drive Wheel	200mm	230mm	190mm - Rear
Ground Clearance	60mm	120mm	60mm
Headrest	No	No	No
Heaviest part	14.8kg	15.6kg	13kg
High/Low Speed Selection	Yes	Yes	No - uses variable speed dial
Lights	No	No	Yes Front LED headlight
Lithium Battery	Yes	Yes	No
Maximum Speed	6.5km/h	7.8km/h	6km/h
Motor	260W	260W	24V electric motor
number of components	2 + Battery	2 + Battery	5
Seat Dimensions	410 x 400mm	400 x 400mm	430 x 400mm
Seat height from Deck	450mm	450mm	350-380 mm
Seat height from floor	565mm	590mm	540-560 mm
Seat padding	Medium	Medium	Medium
Slope ability	8°	8°	6°
Suspension	No	No	Front & Rear
Swivel seat	No	No	Yes
Turning Radius	930mm	930mm	~1150-1200 mm
Tyres	Pneumatic	Pneumatic	Puncture Proof - Solid
Weight Capacity	120kg	120kg	136kg
Weight with Battery	21.1kg	22.4kg	45kg
Weight without battery	19.3kg	20.6kg	35kg
Wheel to Wheel	800mm	850mm	

PORTABLE SCOOTERS

Easy to
pull apart for
transport



- 200kg weight capacity
- Easy to dismantle
- Great for use outdoors



- Pull apart style scooter
- Full suspension
- Heaviest part just 19.5kg

Specifications	Supascoota Sumo Sport - PS4202	Kymco Mini Comfort - PS2000
ISO Certification	ISO 13485:2016, EN ISO 13485:2016	13485:2016, 10993-1:2009
Adjustable Armrests	No - Removable	Yes
Adjustable Backrest	No	No
Adjustable Seat Height	No	Yes
Adjustable Tiller Angle	Tools Required	Yes
Adjustable Tiller Height	Yes 770mm - 960mm	No
Anti-Tip Mechanism	Rear anti tip & Cornering Assist	Rear anti tip wheels
Armrests	Yes	Yes
Battery	24V 15Ah Lithium	12V 22 Ah x 2 (In 1 Battery Box) SLA
Battery Range	up to 13km	up to 25km
Battery Weight	4kg	SLA:14.2kg Lithium:7.5kg
Dimensions (L x W x H)	1010 x 630 x 960	1080 x 520 x 860
Distance between armrests	450 - 570	420 - 480
Drive Wheel	260mm	230mm
Ground Clearance	65mm	70mm
Headrest	No	No
Heaviest part	13kg	19.5kg
High/Low Speed Selection	Yes	No
Lights	No	Yes
Lithium Battery	Yes	Optional Extra
Maximum Speed	6.5km/h	6.4km/h
Motor	2 x 180w	270W
number of components	3 + Battery	4 + Battery
Seat Dimensions	460mm x 445mm	445mm x 380mm
Seat height from Deck	470mm	340mm - 430mm
Seat height from floor	610mm	460mm - 550mm
Seat padding	Medium	Medium
Slope ability	6° with 175kg loading 4° with 200kg load	8°
Suspension	Underseat	Front & Rear
Swivel seat	Optional Extra	Yes
Turning Radius	1000mm	1220mm
Tyres	Pneumatic	Puncture Proof - Solid
Weight Capacity	200kg	127kg
Weight with Battery	35kg	SLA: 54kg / Lithium: 46kg
Weight without battery	31kg	39kg
Wheel to Wheel	910mm	790mm

PORTABLE SCOOTERS

**Fits in
the boot of
your car**



- Captain style seat
- USB phone charging port
- Folds down for transport



- Folds down for transport
- Solid puncture-proof tyres
- Front basket

Specifications	Sweetrich Captain - PS6240	Sweetrich Flexiboy - PS6220
ISO Certification	ISO 9001 13485	ISO 9001 13485
Adjustable Armrests	Yes	Yes
Adjustable Backrest	Yes	No
Adjustable Seat Height	Yes	Yes
Adjustable Tiller Angle	Yes	Yes
Adjustable Tiller Height	No	No
Anti-Tip Mechanism	Rear anti tip wheels	Rear anti tip wheels
Armrests	Yes	Yes
Battery	12Ah Lead-acid, with possibility to upgrade to 20Ah or Lithium options	12Ah Lead-acid, with possibility to upgrade to 20Ah or Lithium options
Battery Range	Up to 18km	Up to 18km
Battery Weight	9kg	9kg
Dimensions (L x W x H)	1100 x 525 x 920	1000 x 525 x 920
Distance between armrests	450 - 550	450 - 550
Drive Wheel	230mm	178mm
Ground Clearance	45mm	45mm
Headrest	Yes	No
Heaviest part	29kg	29kg
High/Low Speed Selection	No	No
Lights	Front and rear	Yes
Lithium Battery	Optional Extra	Optional Extra
Maximum Speed	8 km/h	8km/h
Motor	300W	300W
number of components	2 + Battery	2 + Battery
Seat Dimensions	430 x 420	430 x 420
Seat height from Deck	340mm-420mm	340mm-420mm
Seat height from floor	520 - 760	520 - 760
Seat padding	Plush	medium
Slope ability	10°	10°
Suspension	Rear Suspension	Rear Suspension
Swivel seat	Yes	Yes
Turning Radius	1500mm	1500mm
Tyres	Pneumatic	Solid Puncture proof
Weight Capacity	120kg	120kg
Weight with Battery	48.8kg	44.5kg
Weight without battery	40kg	38kg
Wheel to Wheel	780mm	780mm

Lightweight
and
portable



- Self loading scooter
- Ramps installed to car
- Kerb Climbing technology



- Pulls apart for transport
- USB charging port
- Kerb Climbing technology



- Powerful electronics
- Front & rear suspension
- 160kg weight capacity

Specifications	Quingo Flyte Mk 2 - PS3010	Quingo Ultra - PS3002	Monarch Volta - MS5200R
ISO Certification	7176:2008, 7176-7:1998, 7176-2:2012, 7176-11:1992	7176:2008, 7176-7:1998, 7176-2:2012, 7176-11:1992	TBA
Adjustable Armrests	Yes	Yes	Yes
Adjustable Backrest	No	No	Yes
Adjustable Seat Height	No	Yes	No
Adjustable Tiller Angle	Yes	Yes	Yes
Adjustable Tiller Height	No	No	No
Anti-Tip Mechanism	Kerb Master & Anti breach technology	Kerb Master & Anti breach technology	Yes - Rear anti tip wheels
Armrests	Yes	Yes	Yes
Battery	12V 22Ah x 4 - Optional ext. pack 22Ah x 2	2 x 15Ah SLA - Optional upgrade additional two 15.AH SLA	12V/50ah lead acid x 2
Battery Range	Up to 37km or up to 54km with battery extension pack	Up to 15km or up to 29km with battery extension pack	Up to 25 - 35km
Battery Weight	6kg x 4	4.5kg x 2 (4 with extension pack)	32kg
Dimensions (L x W x H)	1195 x 620 x 1050mm	1200 x 580 x 930mm	1330 x 620 x 1300mm
Distance between armrests	430 - 585mm	450 - 600mm	TBA
Drive Wheel	250mm	229mm	304mm
Ground Clearance	750mm	50mm	70mm
Headrest	No	No	Yes
Heaviest part	116.5kg	17.8kg	N/A
High/Low Speed Selection	No	No	No
Lights	Yes	Front and rear	LED headlight, tail lights, indicators
Lithium Battery	No	No	No
Maximum Speed	6.4km/h	6.4kmh	10kmh
Motor	250W 2-Pole	DC 24V 250W	650W 4 Pole
Number of components	1 + Docking Station	3 + batteries	1 + 2 Batteries
Seat Dimensions	410 x 400mm	580 x 370mm	450 x 450mm
Seat height from Deck	420mm	380 - 440mm	450mm
Seat height from floor	710mm	540 - 590mm	~550mm
Seat padding	Medium	Medium	Plush
Slope ability	Normal use: 6°, loading: 30°	6°	10°
Suspension	No	No	Front & Mono-Shock Rear
Swivel seat	No	Yes	Yes
Turning Radius	1020mm	1040mm	1750mm
Tyres	Pneumatic	Pneumatic	Soft ride pneumatic tyres
Weight Capacity	159kg	140kg	160kg
Weight with Battery	116.5kg	62kg	115kg
Weight without battery	92.5kg	53kg	83kg
Wheel to Wheel	770mm	750mm	TBA

MEDIUM SCOOTERS

Comfortable
and great for
outdoors



- Pneumatic tyres
- Easy to use display panel
- Front & rear suspension



- Upgraded luxury seat
- Pneumatic tyres
- Front & rear suspension



- Powerful, reliable motor
- Soft ride pneumatic tyres
- Front & rear suspension

Specifications	Heartway Mirage - MS00180	Heartway Mirage Lux - MS0020	Monarch Zener - MS5000
ISO Compliance	AS/NZS3695.2:2013	AS/NZS3695.2:2013	TBA
Adjustable Armrests	Yes	Yes	Yes
Adjustable Backrest	Yes	Yes	Yes
Adjustable Headrest	Yes	Yes	No
Adjustable Seat Height	Yes 600-680mm from floor	Yes 600-680mm from floor	Yes
Adjustable Tiller Angle	Yes	Yes	Yes
Adjustable Tiller Height	No	No	No
Anti-Tip Mechanism	Yes rear anti-tip wheels	Yes rear anti-tip wheels	Yes rear anti-tip wheels
Armrests	Yes	Yes	Yes
Battery	12V/50ah x 2	12V/50ah x 2	12V/33AH Lead acid x 2
Battery Range	Up to 30km	Up to 30km	Up to 30km
Charger	5amp Off-Board	5amp Off-Board	Off-Board
Dimensions (L x W x H)	1400 x 620 x 1280mm	1400 x 620 x 1280mm	1160 x 600 x 1280mm
Distance between armrests	465mm	470mm	~460 - 570mm
Drive Wheel	305mm	305mm	254mm - Rear
Front Wheel	305mm	305mm	254mm
Ground Clearance	140mm	140mm	90mm
High/Low Speed Selection	Yes	Yes	No - uses variable speed dial
Lights	Deck lights, headlights, tail lights, indicator lights & hazard lights for safety	Deck lights, headlights, tail lights, indicator lights & hazard lights for safety	Yes Front LED headlight and tail light
Manual Brake / Emergency Brake	Yes	Yes	No - Uses an automatic electromagnetic brake
Maximum Speed	10km/h to comply with Australian standards	10km/h to comply with Australian standards	10km/h to comply with Australian standards
Mirrors	Yes - Twin mirrors	Yes - Twin mirrors	Yes - Twin mirrors
Motor	550W 4 Pole	550W 4 Pole	650W 4 Pole
Seat Dimensions (W x D)	460 x 430mm	465 x 470mm	515 x 515mm
Seat height from Deck	450mm	470mm	~380-420mm
Seat height from floor	600 - 680mm	600 - 680mm	~560-600mm
Seat padding	Medium	Plush	Plush
Slope ability	6°	6°	8°
Suspension	Front & Rear Suspension	Front & Rear Suspension	Front & Rear Suspension
Swivel seat	Yes	Yes	Yes
Turning Radius	1600mm	1600mm	1320mm
Tyres	Pneumatic	Pneumatic	Soft ride pneumatic tyres
Weight Capacity	135kg	135kg	160kg
Weight with Battery	103.8kg	103.8kg	~88kg
Wheel to Wheel	880mm	900mm	TBC
Shipping weight	TBC	TBC	TBC

MEDIUM SCOOTERS

Comfortable
and great for
outdoors



- Innovative 5-wheel design
- Kerb climbing technology
- Increased travel range



- Weather protection
- Storage baskets
- Seat suspension



- 150kg weight capacity
- Front & rear suspension
- Up to 40km battery range

Specifications	Quingo Plus - LS3000	Trek Sunrider - LS7100	Trek Rhino - MS6400B
ISO Compliance	7176:2008, 7176-7:1998, 7176-2:2012, 7176-11:1992	TBC	TBC
Adjustable Armrests	Yes	Yes	No
Adjustable Backrest	Yes	Yes	Yes
Adjustable Headrest	Yes	Yes	Yes
Adjustable Seat Height	Yes	Yes	No
Adjustable Tiller Angle	Yes	Yes	No
Adjustable Tiller Height	No	No	No
Anti-Tip Mechanism	Yes + Anti Beaching	Yes Rear anti tip wheels	Yes Rear anti-tip wheels
Armrests	Yes	Yes	Yes
Battery	12V 50Ah x2	55Ah	45Ah
Battery Range	Up to 48km	up to 40km	Up to 40km
Charger	Automatic Off Board 5Ah	Automatic off Board 6Ah	Automatic Off Board 6Ah
Dimensions (L x W x H)	1270 x 650 x 1160mm	1600 x 670 x 1590mm	1345 x 610 x 1260mm
Distance between armrests	450 - 630mm	475mm	500mm
Drive Wheel	250mm	315mm	280mm
Front Wheel	260mm	315mm	280mm
Ground Clearance	55mm	315mm	100mm
High/Low Speed Selection	Yes	Yes	Yes
Lights	Headlights, tail, indicator & hazard lights	Headlights, tail, indicator & hazard lights	Headlights, tail, indicator & hazard lights
Manual Brake / Emergency Brake	Yes	Yes	Yes
Maximum Speed	10km/h	10km/h	10km/h
Mirrors	Yes - one mirror	Yes	Yes
Motor	400W 4 Pole	4 Pole	500W
Seat Dimensions (w x d)	480 x 440mm	490 x 490mm	450 x 500mm
Seat height from Deck	450 - 550mm	500mm	430mm
Seat height from floor	600 - 700mm	720mm	600mm
Seat padding	Medium	Medium	Medium
Slope ability	12 degrees	6°	12°
Suspension	Front Integral Lever Arm Coil Springs Rear Independent Coil Spring	Yes Front & Rear and Seat Suspension	Front & Rear Suspension
Swivel seat	Yes	Yes	Yes
Turning Radius	1070mm	TBC	1470mm
Tyres	Pneumatic	Pneumatic	Pneumatic
Weight Capacity	159kg	130kg	185kg
Weight with Battery	103kg	145kg	103kg
Wheel to Wheel	840mm	1020mm	870mm
Shipping weight	TBC	TBC	TBC

MEDIUM SCOOTERS

Comfortable
and great for
outdoors



- Waterproof LCD display
- Contoured seating
- Easy to manoeuvre



- Front & rear suspension
- Large rear-view mirrors
- Powerful 600W motor



- Rear suspension
- LED lighting system
- USB charging port

Specifications	Kymco Agility - MS2000	Kymco Midi - MS1820	Kymco Komfy 8 - MS1800
ISO Compliance	13485:2016, 10993-1:2009	13485:2016, 10993-1:2009	13485:2016, 10993-1:2009
Adjustable Armrests	Yes	Yes	Yes
Adjustable Backrest	Yes	Yes	Yes
Adjustable Headrest	Yes	Yes	Yes
Adjustable Seat Height	Yes	Yes	No
Adjustable Tiller Angle	Yes	Yes	Yes
Adjustable Tiller Height	No	No	No
Anti-Tip Mechanism	Yes rear anti-tip wheels	Yes rear anti-tip wheels	Yes rear anti-tip wheels
Armrests	Yes	Yes	Yes
Battery	12V 50Ah x2	12V 50Ah x2	12V 45Ah x 2
Battery Range	Up to 40km	up to 40km	Up to 32km
Charger	Automatic Off Board 5Ah	Automatic Off Board 5Ah	Automatic Off Board 5Ah
Dimensions (L x W x H)	1280 x 650 x 1100	1250 x 650 x 1040	1280 x 600 x 980
Distance between armrests	460mm-660mm	460mm-660mm	460mm-660mm
Drive Wheel	305mm	255mm	254mm
Front Wheel	305mm	255mm	254mm
Ground Clearance	100mm	55mm	45mm
High/Low Speed Selection	Yes	Yes	Yes
Lights	Headlights, tail lights, indicator lights and hazard lights for safety	Headlights, tail lights, indicator lights and hazard lights for safety	Headlights, tail lights, indicator lights and hazard lights for safety
Manual Brake / Emergency Brake	Yes	Yes	Yes
Maximum Speed	10km/h	10km/h	10km/h
Mirrors	Yes	Yes	Yes
Motor	600W 4-Pole	600W 4-Pole	550W 4-Pole
Seat Dimensions (w x d)	460mm x 440mm	460mm x 440mm	445mm x 450mm
Seat height from Deck	460mm - 520mm	450mm - 510mm	450mm - 510mm
Seat height from floor	630mm - 690mm	580mm - 640mm	600mm
Seat padding	Medium	Medium	Medium
Slope ability	12°	10°	10°
Suspension	Front & Rear Suspension	Adjustable front & Rear	Fully adjustable front suspension and rear mono-shock
Swivel seat	Yes	Yes	Yes
Turning Radius	1560mm	1560mm	1560mm
Tyres	Pneumatic	Pneumatic	Pneumatic
Weight Capacity	165kg	160kg	160kg
Weight with Battery	107kg	102kg	93kg
Wheel to Wheel	940mm	930mm	950mm
Shipping weight	TBC	TBC	TBC

LARGE SCOOTERS

Powerful motors



- LCD Dashboard
- LED Lighting
- 700W Motor



- Rugged Design
- Large Tyres
- Sophisticated suspension



- Powerful 700W motor
- On-board storage
- Front & rear LED lights

Specifications	Heartway Vita - LS0018	Heartway Vita X Monster - LS0020B	Kymco Maxer - LS2000
ISO Certification	AS/NZS3695.2:2013	AS/NZS3695.2:2013	13485:2016, 10993-1 :2009
Adjustable Armrests	Yes	Yes	Yes
Adjustable Backrest	Yes	Yes	Yes
Adjustable Headrest	Yes	Yes	Yes
Adjustable Seat Height	Yes	Yes	Yes
Adjustable Tiller Angle	Yes	Yes	Yes
Anti-Tip Mechanism	Yes	Yes	Rear anti tip wheels
Armrests	Yes	Yes	Yes
Battery	12V 80Ah x2	12V 80Ah x2	12V 80Ah x2
Battery Range	Up to 45km	Up to 45km	Up to 57km
Charger	Automatic Off Board 8Ah	Automatic Off Board 8Ah	Automatic Off Board 8Ah
Dimensions (l x w x H)	1550 x 700 x 1400	1620 x 790 x 1480	1490 x 615 x 1100
Distance between armrests	515mm	510mm	480mm-680mm
Drive Wheel	330mm	381mm	335mm
Front Wheel	330mm	330mm	335mm
Ground Clearance	80mm	100mm	100mm
High/Low Speed Selection	Yes	Yes	Yes
Lights	Yes	Yes	Yes
Manual Break / Emergency Break	Yes	Yes	Yes
Maximum Speed	10km/h to comply with standards	10km/h to comply with standards	10km/h to comply with standards
Mirrors	Yes	Yes	Yes
Motor	700W 4-Pole	900W 4-Pole	700W 4-pole
Seat Dimensions (w x d)	510mm x 480mm	505 d x 540 w	480mm x 470mm
Seat height from Deck	470mm	490mm	450mm - 510mm
Seat height from floor	685mm	720mm	650mm - 710mm
Seat padding	Plush	Plush	Plush
Slope ability	10°	10°	12°
Suspension	Double Wishbone and Adjustable single post	Double A-Arm (front) and single shock absorber (rear)	Yes front & rear
Swivel seat	Yes	Yes	Yes
Turning Radius	1900mm	2050mm	2125mm
Tyres	Pneumatic	Pneumatic	Pneumatic
Weight Capacity	160kg	160kg	200kg
Weight with Battery	90kg	123kg	138kg
Wheel to Wheel	580mm	108mm	1080mm

LARGE SCOOTERS

Comfortable
and great for
outdoors



- Front & rear suspension
- 200kg weight capacity
- On-board storage



- Unparalleled manoeuvrability
- Kerb climbing technology
- Plenty of leg room



- Innovative 5-wheel design
- 220kg weight capacity
- Battery range of up to 88km

Specifications	Kymco Multi - LS1821	Quingo Vitesse 2 - LS3010	Quingo Toura 2 - LS3020
ISO Certification	13485:2016, 10993-1 :2009	7176:2008, 7176-7:1998, 7176-2:2012, 7176-11:1992	7176:2008, 7176-7:1998, 7176-2:2012, 7176-11:1992
Adjustable Armrests	Yes	Yes	Yes
Adjustable Backrest	Yes	Yes	Yes
Adjustable Headrest	Yes	Yes	Yes
Adjustable Seat Height	Yes	Yes	Yes
Adjustable Tiller Angle	Yes	Yes	Yes
Anti-Tip Mechanism	Rear anti tip wheels	Yes + Anti Beaching Technology	Yes + Anti Beaching Technology
Armrests	Yes	Yes	Yes
Battery	12V 80Ah x2	12V 50Ah x2	12V 100Ah x2
Battery Range	Up to 57km	Up to 48km	Up to 88km
Charger	Automatic Off Board 5Ah	Automatic Off Board 5Ah	Express Automatic Off Board 8Ah
Dimensions (l x w x H)	1450 x 670 x 1090mm	1470 x 750 x 1340mm	1420 x 700 x 1430mm
Distance between armrests	490 - 690mm	450 - 630mm	540 - 720mm
Drive Wheel	300mm	178mm	305mm
Front Wheel	300mm	254mm	254mm
Ground Clearance	100mm	75mm	100mm
High/Low Speed Selection	Yes	Yes	Yes
Lights	Yes	Yes	Yes
Manual Break / Emergency Break	Yes	Yes	Yes
Maximum Speed	10km/h	10km/h	10km/h
Mirrors	Yes	Yes	Yes
Motor	700W 4 Pole	400W 4 Pole	650W 4 Pole
Seat Dimensions (W x D)	520 x 450mm	470 x 430mm	540 x 470mm
Seat height from Deck	450 - 510mm	450 - 550mm	520 - 590mm
Seat height from floor	650 - 710mm	640 - 700mm	720 - 790mm
Seat padding	Plush	Plush	Extra Plush
Slope ability	12°	12°	12°
Suspension	Yes Adjustable front & Rear	Front: floating axle with independent outer wheels. Rear: adjustable twin coil spring	Front: integral lever arm coil springs. Rear: adjustable smooth drive 2 coil spring
Swivel seat	Yes	Yes	Yes
Turning Radius	1650mm	1130mm	1320mm
Tyres	Pneumatic	Pneumatic	4-ply Pneumatic
Weight Capacity	200kg	182kg	220kg
Weight with Battery	138kg	116kg	163.9kg
Wheel to Wheel	1080mm	890mm	1060mm

LARGE SCOOTERS

Comfortable
and great for
outdoors



- Front & rear suspension
- Safety park brake
- Bluetooth/USB/speakers



- TFT digital display
- NFC keyless start
- Powerful 1400W motor

Specifications	Trek Bravo Sport - LS7000R	Trek Bronco - LS7200B
ISO Certification	TBC	13485
Adjustable Armrests	No	Yes
Adjustable Backrest	Yes	Yes
Adjustable Headrest	Yes	Yes
Adjustable Seat Height	No	No
Adjustable Tiller Angle	No	Yes
Anti-Tip Mechanism	Yes	Yes
Armrests	Yes	Yes
Battery	75Ah	75/100Ah
Battery Range	Up to 40km	Up to 40km
Charger	Automatic Off Board 8Ah	Automatic Off Board 8Ah
Dimensions (l x w x H)	1650 x 680 x 1450mm	1600 x 805 x 1435mm
Distance between armrests	490mm	535mm
Drive Wheel	320mm	330mm
Front Wheel	320mm	330mm
Ground Clearance	120mm	105mm
High/Low Speed Selection	Yes	Yes
Lights	Yes	Yes
Manual Break / Emergency Break	Yes	Yes
Maximum Speed	10km/h	10km/h
Mirrors	Yes	Yes
Motor	700W 4-Pole	1400W
Seat Dimensions (w x d)	490mm x 440mm	545mm x 495mm
Seat height from Deck	470mm	480mm
Seat height from floor	710mm	695mm
Seat padding	Plush	Plush
Slope ability	12°	15°
Suspension	Front, Rear & Seat suspension	Front & Rear
Swivel seat	Yes	Yes
Turning Radius	1600mm	1600mm
Tyres	Pneumatic	Pneumatic
Weight Capacity	185kg	250kg
Weight with Battery	135kg	175kg* TBC
Wheel to Wheel	1050mm	805mm

ELECTRIC WHEELCHAIRS

Easy to
pull apart for
transport



- Light carbon fibre frame
- Lithium batteries
- Portable



- Australia's lightest electric wheelchair
- Lithium battery



- Heaviest part 12.2kg
- Folds for easy transport
- Easy to use Joystick

Specifications	E-Traveller 140 Carbon - EW2023	E-Traveller Carbon 130 Lite - EW2023	Moving Star MS101SF - EW2040
ISO Certification	7176:2008, 7176-7:1998, 7176-2:2012, 7176-11:1992	13485:2016, 7176-1:2014, 7176-14:2008	13485:2016
Adjustable Armrests	No	No	No
Adjustable Backrest	No	No	No
Adjustable Seat Height	No	No	No
Anti-Tip Mechanism	Rear anti-tip wheels	Yes	Rear anti-tip wheels
Battery	24V 6Ah x2 Lithium	24V 6.6Ah Lithium / 24V 10Ah Lithium	24V 10.5Ah Lithium
Battery Range	Up to 25km	10 -15km	up to 15km per charge
Battery Weight	1.45kg x 2	1.35kg/1.4kg	1.2kg
Dimensions	950 x 590 x 940mm	740 x 600 x 900mm	810 x 630 x 915
Dimensions when folded	590 x 275 x 760	740 x 270 x 770mm	930 x 630 x 280 (split)
Distance between armrests	495mm	460mm	470mm
Drive Wheel	200mm	260mm	305mm
Front Wheel	175mm	170mm	203mm
Ground Clearance	40mm	85mm	40mm
Headrest	Optional Extra	No	No
Heaviest part	18.7kg	12kg	12.1kg
Lights	Optional Extra	No	Optional Extra
Lithium Battery	Yes	Yes	Yes
Maximum Speed	6km/h	7.5km/h	6km/h
Motor	180W x 2	250W x 2 Brushless	200W x 2 Brushless
number of components	1 + battery (x2)	1 + Battery + Cushion	3
Seat Dimensions (w x d)	400 x 400	455x425mm	490 x 420
Seat height from floor	490mm	450mm	500mm
Seat Height from footplate	400mm	370mm	440mm
Seat padding	Medium	Light	Light
Slope ability	8°	13°	15°
Suspension	Front	No	No
Swivel seat	No	No	No
Turning Radius	700mm	600mm	850mm
Tyres	Solid Puncture Proof	Solid Puncture Proof	Solid Puncture Proof
Weight Capacity	140kg	130kg	115kg
Weight with Battery	21.6kg	13.3kg	21.5kg
Weight without battery	18.7kg	12kg	20.3kg
Backrest height	480mm	430	420mm
Available Sizes	Standard	Standard	Standard
Footplate options	Single Plate	Swing-away	Single-plate, movable, self-adjusting

ELECTRIC WHEELCHAIRS

Easy to
pull apart for
transport



- Folds down for transport
- Puncture-proof tyres
- Light lithium batteries



- Easy to use joystick
- Folds easy for transport
- Puncture-proof tyres



- Folding electric wheelchair
- Puncture-proof tyres
- Joystick control

Specifications	Quingo Connect - EW3002	E-Traveller Voyager - EW4330	E-Traveller 180 Flex - EW2180
ISO Certification	AS/NZS3695.2:2013	ISO 7176:2008, 7176-7:1998, 7176-2:2012, 7176-11:1992	13485:2016, 7176-1:2014, 7176-2:2001, 7176-3:2012
Adjustable Armrests	No	No	Width adjustable optional extra
Adjustable Backrest	No	Yes	No
Adjustable Seat Height	No	No	No
Anti-Tip Mechanism	Rear anti-tip wheels	Rear anti-tip wheels	Optional extra
Battery	24V 11.4ah Lithium	24V 6Ah	24V 6Ah x2 Lithium
Battery Range	Up to 15km	up to 12km	Up To 22km
Battery Weight	2.8kg	1kg	1.5kg x 2
Dimensions	970 x 590 x 950mm	1040 x 610 x 950mm	980 x 660 x 950mm
Dimensions when folded	590 x 370 x 810mm	340 x 610 x 750mm	330 x 660 x 810mm
Distance between armrests	470mm	450mm	Regular: 440mm Wide: 520mm
Drive Wheel	178mm	305mm	305mm
Front Wheel	180mm	203mm	178mm
Ground Clearance	30mm	45mm	175mm
Headrest	No	No	Optional Extra
Heaviest part	24.5kg	19.9kg	27.3kg
Lights	Optional Extra	Optional Extra	Optional Extra
Lithium Battery	Yes	Yes	Yes
Maximum Speed	6.4km/h	6km/h	6km/h
Motor	70W x 2	180W x 2	250W x 2 Brushless
number of components	1 + Battery	1 + Battery	1 + battery (x2)
Seat Dimensions (w x d)	460 x 420mm	460 x 420mm	470 x 430mm
Seat height from floor	520mm	490mm	500mm
Seat Height from footplate	430mm	375mm	390mm
Seat padding	Light	Light	Medium
Slope ability	3°	3°	8°
Suspension	No	No	No
Swivel seat	No	No	No
Turning Radius	825mm	825mm	850mm (turning circle)
Tyres	Solid Puncture Proof	Honeycomb Puncture-Proof	Solid Puncture Proof
Weight Capacity	114kg	100kg	180kg
Weight with Battery	27.3kg	20.9kg	30.5kg
Weight without battery	24.5kg	17.5 kg	27.5kg
Backrest height	330mm	420mm	410mm
Available Sizes	Standard	Standard	Regular & Wide
Footplate options	Single-plate, height adjustable	Swing-away	Standard: Single Plate. Optional Extra: Elevating, Swing

ELECTRIC WHEELCHAIRS



- Folding electric wheelchair
- Adjustable backrest
- 250W brushless motors



- Folding electric wheelchair
- Adjustable backrest
- 250W brushless motors



- Folding electric wheelchair
- Ergonomic backrest
- Contoured seat cushion



- Automatic folding
- Omni-wheel tech
- Weight capacity up to 125kg

E-Traveller Carbon 150 Lite - EW2027R	Moving Star Titan - EW2050B	E-Traveller 180 Ergo - EW2020	Solax Omni Wheel Power Chair - PC1100
ISO 7176, IEC 60601	ISO 7176:2014 EN 12184:2022	ISO 7176: 2014 13485:2016	TBC
No	Height adjustable	Width adjustable optional extra	No
No	Ergonomic Height Adjustable	Ergonomic Height Adjustable	No
No	No	No	No
No	Rear anti-tip wheels	Optional extra	Yes
24V 12Ah Lithium	24V 12Ah Lithium	24V 6Ah x2 Lithium	24V 10Ah Lithium
Up To 25km	Up To 25km	Up To 22km	Up To 24km
1.8kg	2.35kg	1.5kg x 2	1.3kg
1050 x 590 x 985mm	980 x 600 x 908mm	980 x 660 x 950mm	1030 x 600 x 875mm
300 x 590 x 960mm	750 x 600 x 350mm	330 x 660 x 810mm	825 x 600 x 410mm
500mm	470mm	Regular:440mm Wide:515mm	450mm
205mm	254mm	305mm	260mm
175mm	203mm	178mm	260mm
80mm	40mm	175mm	105mm
No	No	Optional Extra	No
15.5kg	24.3kg	27.3kg	48kg
No	Yes - taillight	Optional Extra	Yes
Yes	Yes	Yes	Yes
6km/h	6km/h	6km/h	7km/h
180W x 2 Brushless	250W x 2 Brushless	250W x 2 Brushless	Brushless
1+ Battery + Cushion	1+ Battery + 2 x Cushion	1+ battery (x2)	1+ battery (x2)
440x450mm	460 x 460mm	470 x 400mm	450x430mm
506mm	470mm	500mm	535mm
445mm	380-440mm (Adj.)	390mm	430mm
Plush	Ergonomic Cushion	Medium	Medium
8°	10°	8°	8°
No	No	No	Yes
No	No	No	No
700mm	800mm	850mm	600mm
Solid Puncture Proof	Solid Puncture Proof	Solid Puncture Proof	Front: Puncture Proof Omni-Wheels; Rear: Pneumatic
150kg	136kg	180kg	125kg
17.3kg	26.65kg	30.3kg	49.3kg
15.5kg	24.3kg	27.3kg	48kg
400	500-600mm (Adj.)	400mm	410mm
Standard	Standard	Regular & Wide	Standard
Swing-away	Single-plate, height adjustable	Standard: Single Plate. Optional Extra: Elevating, Swing away	Single Plate

ELECTRIC WHEELCHAIRS

Postural Support



- Rehab Seating
- Postural Support
- Front and Rear Suspension

- Exceptional Turning Radius
- Deluxe Captain Seat
- Six Grounded Wheels

- SLA battery
- Solid puncture proof tyres
- Joystick controller

Specifications	Heartway Maxx Rehab - PC0022	Heartway Maxx Captain - PC0020	Monarch LiteRider - PC5010
ISO Certification	AS/NZS3695.2:2013	AS/NZS3695.2:2013	ISO 13485:2016/NS-EN ISO 13485:2016
Adjustable Armrests	Yes	Yes	Yes
Adjustable Backrest	Yes	Yes	No
Adjustable Seat Height	No	No	Yes
Anti-Tip Mechanism	Rear castors	Rear castors	Rear anti-tip wheels
Battery	24 V 50AH x 2 SLA	24 V 50AH x 2 SLA	24V 18AH SLA
Battery Range	Up to 30km	Up to 30km	up to 20-25km
Battery Weight	29kg	29kg	11.3kg
Dimensions	930 x 600 x 1100	930 x 600 x 1100	864 x 572 x 838
Dimensions when folded	N/A	N/A	N/A
Distance between armrests	490	475	485mm
Drive Wheel	360mm x 75mm	360mm x 75mm	229mm
Front Wheel	155mm	155mm	152mm
Ground Clearance	100	95	63mm
Headrest	Yes	Yes	No
Heaviest part	N/A	N/A	15kg
Lights	No	No	Optional Extra
Lithium Battery	No	No	No
Maximum Speed	10 km/h	10 km/h	5.6km/h
Motor	500W 4-pole x 2	500W 4-pole x 2	TBC
number of components	N/A	N/A	3
Seat Dimensions (w x d)	445w x 450 d	508 x 460	430mm x 450mm
Seat height from floor	550	530mm	521 - 546
Seat Height from footplate	360	440	450mm
Seat padding	Extra Plush	Plush	Plush
Slope ability	10°	10°	TBC
Suspension	Drive Wheel/Front Caster	Drive Wheel/Front Caster	No
Swivel seat	No	No	Yes
Turning Radius	500mm	500mm	850mm
Tyres	Pneumatic	Pneumatic	Solid Puncture-Proof
Weight Capacity	160kg	160kg	125kg
Weight with Battery	107kg	98kg	63kg
Weight without battery	78kg	69kg	52kg
Backrest height	475	685mm	406mm
Available Sizes	Standard	Standard	Standard
Footplate options	Swing-away	Single Plate	Single Plate

ELECTRIC WHEELCHAIRS

Power Assisted Walkers



- Joystick controller
- Swing away leg rests
- Folds for easy transport

- Power-assisted walker
- Weighs just 14.5kg
- Folds for easy transport

- Hybrid walker & wheelchair
- Folds for easy transport
- Joystick controller

Specifications	E-Traveller EVO Elite - PO2005R	E-Traveller EVO Walk - RO2020	E-Traveller EVO - RO2000
ISO Certs Number	Waiting on ISO numbers	Waiting on ISO numbers	Waiting on ISO numbers
Adjustable Armrests	No	No	No
Adjustable Backrest	Yes	Yes	Yes
Adjustable Seat Height	No	No	No
Adjustable Handle Height	840 - 960	830-960	780-870
Armrests	Yes	Yes	Yes
Battery	24V 5Ah Lithium	24V 5Ah Lithium	24V 5Ah Lithium
Battery Range	12-20km	12-20km	12-20km
Charger	24V 2A	24V 2A	24V 2A
Battery Weight	0.85kg	0.85kg	0.85kg
Dimensions (L x W x H)	1000 x 660 x 850 - 960	700 x 580 x 860 - 970	1000 x 660 x 800-900
Dimensions when folded	720 x 290 x 850	700m x 250 x 860	770 x 290 x 900
Distance between armrests	530	440	535
Drive Wheel	203mm	203	203
Front Wheel	260mm	260mm	203
Heaviest part	18.15kg	13.65kg	17.75kg
Maximum Speed	6km/h	6km/h	6km/h
Motor	2 x 250W	2 x 250W	2 x 250W
number of components	1	1	1 + battery
Seat Dimensions	455 x 325	450 x 290	450 x 290
Seat height from floor	530	530	510
Seat Height from footplate	510	N/A	460
Seat padding	Firm	Firm	Firm
Total height	880 - 1000 (adjustable)	860 - 1000 (adjustable)	810 - 900 (adjustable)
Tyres	Solid puncture-proof	Solid Puncture-Proof	Solid Puncture Proof
Weight Capacity	100kg	100kg	100kg
Total Weight	19kg	14.5kg	18.6kg
Backrest height	860 - 980	810 - 910	730mm-830mm
Main Material	Aluminium	Aluminium	Aluminium
Shipping weight	TBC	TBC	TBC
Number of boxes (shipping)	1	1	1

MANUAL WHEELCHAIRS

Lightweight
and
portable



- Lightweight & portable
- Removable wheels
- Safe handbrakes



- Lightweight (only 10kg)
- Solid puncture proof tyres
- Attendant & push to lock brakes

Specifications	Daily Wheelchair - CA9865LFH	Easy Tran Wheelchair - CA9612LHB
ISO Certs Number	ISO13485:2016	ISO13485:2016
Adjustable Armrests	No	No
Adjustable Backrest	No	No
Adjustable Seat Height	No	No
Adjustable Handle Height	No	No
Armrests	Yes	Yes
Dimensions (L x W x H)	1030 x 680 x 950	890 x 530 x 860
Dimensions when folded	TBC	840x 260 x 850
Distance between armrests	460mm	430mm
Drive Wheel	559mm	380mm
Front Wheel	200mm	160mm
Heaviest part	13kg	10kg
number of components	5	1
Seat Dimensions (wxd)	420mm x 450mm	430mm x 375mm
Seat height from floor	550mm	475mm
Seat Height from footplate	340 - 440mm	330mm
Seat padding	Medium	Medium
Tyres	Solid, Polyurethane	Solid, Polyurethane
Weight Capacity	110kg	100kg
Total Weight	15kg	10kg
Backrest height	400mm	400mm
Main Material	Aluminium	Aluminium
Brakes	Attendant handles & push to lock	attendant handles & push to lock
Footplate options	Swing-away	Swing-away
Shipping weight	TBC	TBC
Shipping size	TBC	TBC
Number of boxes (shipping)	1	1

MANUAL WHEELCHAIRS

Lightweight
and
portable



- Folds for easy transport
- Solid puncture proof tyres
- Swing-away footplates



- Lightweight (only 12.6kg)
- 100kg weight capacity
- Flip up armrests for easy transfers

Specifications	Mio Rollmate Wheelchair - CA9793LFH	Mio Shift Wheelchair - RMW0021
ISO Certs Number	ISO13485:2016	TBC
Adjustable Armrests	Yes	Yes
Adjustable Backrest	No	No
Adjustable Seat Height	No	No
Adjustable Handle Height	No	No
Armrests	Yes 290mm	TBC
Dimensions (L x W x H)	1030 x 680 x 880	910 x 610 x 890
Dimensions when folded	1070 x 390 x 700	920 x 290 720
Distance between armrests	460mm	TBC
Drive Wheel	560mm	406mm
Front Wheel	0	178mm
Heaviest part	12.3kg	12.65kg
number of components	3	1
Seat Dimensions (wxd)	460mm x 450mm	460mm x 400mm
Seat height from floor	510mm	490mm
Seat Height from footplate	400mm	TBC
Seat padding	Medium	Medium
Tyres	Solid, Polyurethane	Solid, Polyurethane
Weight Capacity	100kg	100kg
Total Weight	13.5kg	12.65kg
Backrest height	390mm	TBC
Main Material	Aluminium	Aluminium
Brakes	attendant handles & push to lock	attendant handles & push to lock
Footplate options	Swing-away	Flip-up dual plates
Shipping weight	TBC	TBC
Shipping size	TBC	840 x 300 x 745
Number of boxes (shipping)	TBC	1

MANUAL WHEELCHAIRS

Lightweight
and
portable



- Weighs just 7.2kg
- 113kg weight capacity
- Folds for easy transport
- Weighs just 5.9kg
- 136kg weight capacity
- Swing away footrests
- Attendant & hand brakes
- Solid puncture proof tyres
- Pulls apart easy transfers

Specifications	Scooterpac Feather Propel SA2020	Scooterpac Feather Transit SA2021	Liberty Wheelchair RMW0020
ISO Certs Number	TBC	TBC	TBC
Adjustable Armrests	Yes	Yes	Yes
Adjustable Backrest	No	No	Yes
Adjustable Seat Height	No	No	No
Adjustable Handle Height	No	No	Yes
Armrests	Yes 229mm	Yes 165mm	Yes 230-270mm
Dimensions (L x W x H)	1000 x 690 x 915mm	970 x 585 x 730-930mm	1020 x 700 x 950mm
Dimensions when folded	450 x 780 x 730mm	730 x 350 x 725mm	800 x 380 x 740mm
Distance between armrests	445mm	445mm	465mm
Drive Wheel	559mm	216mm	610mm
Front Wheel	152mm	152mm	178mm
Heaviest part	6.1kg	5.9kg	11.95kg
number of components	5	3	5
Seat Dimensions (WxD)	457 x 406mm	420 x 440mm	500 x 430mm
Seat height from floor	483mm	495mm	500mm
Seat Height from footplate	TBC	TBC	370-450mm
Seat padding	Medium	Medium	Medium
Tyres	Solid, Polyurethane	Solid, Polyurethane	Solid, Polyurethane
Weight Capacity	110kg	130kg	110kg
Total Weight	10.5kg	7.95kg	16.75kg
Backrest height	425mm	450mm	440mm
Main Material	Aluminium	Aluminium	Aluminium
Brakes	Attendant handles & push to lock	Attendant handles	Push to lock
Footplate options	Swing-away	Swing-away	Swing-away
Shipping size	-	-	840 x 330 x 840mm
Number of boxes (shipping)	1	1	1

HOISTS AND MOBILITY ACCESSORIES

Accessories are a vital part of every scooter or electric wheelchair. They will ensure that it's customised to deliver exactly what you need, whether it's extra room on the back for shopping or attachments to carry sporting equipment. A wide range of accessories are available for our scooters and wheelchairs. Some of our most popular accessories are pictured below.



- 2 weight capacity options
- Lifts up to 40kg or 80kg
- Remote control operation

Smart Lifter LM



- 2 weight capacity options
- Lifts up to 80kg or 100kg
- Remote control operation

Smart Lifter LC



- 3 weight capacity options
125kg, 150kg & 200kg
- Remote control operation

Smart Lifter LP



Solax Portable Hoist



E-Traveller Ezy lifter



Travel Case



Scooterpac Weather Canopy



MIO Sun Canopy

ROLLATORS, WALKING AIDS & COMMODES

Non-motorized mobility equipment



- Lightweight aluminium frame
- Can also be used as a seat
- Folds for easy transport
- Adjustable handle height
- Weighs just 6.8 kg
- Puncture-proof tyres

Specifications	Stryder Rollator - CA8862L	Hi-Roller Rollator - CA8864L	Tallboy Rollator - CA8616L-KD
ISO Certs Number	TBC	TBC	ISO13485:2016
Adjustable Backrest	Yes	Yes	No
Adjustable Seat Height	No	No	Yes - 530-600
Adjustable Handle Height	810 - 930	810 - 930	Yes - 855 - 930
Dimensions (L x W x H)	720 x 560 x 810 - 930 (Adjustable)	720 x 630 x 845 - 935 (Adjustable)	770 x 560 x 855 - 930 (Adjustable)
Dimensions when folded	750 x 280 x 810-930	720 x 290 x 845	960 x 325 x 560
Distance between armrests	475mm	420mm	500mm
Drive Wheel	190mm	254mm	200mm PVC
Front Wheel	240mm	254mm	200mm PVC
Heaviest part	7.32kg	TBC	7.1kg
number of components	1 + Bag	1 + Bag	1
Seat Dimensions (w x d)	450 x 320	450 x 320	370 x 250
Seat height from floor	590mm	530mm	530mm - 600mm
Seat padding	Firm	Firm	Medium
Total height	810 - 930 (Adjustable)	810 - 930 (Adjustable)	855 - 930 (adjustable)
Tyres	Solid Puncture Proof	Solid Puncture Proof	Solid Puncture Proof
Weight Capacity	130kg	130kg	100kg
Total Weight	7.35kg	7.5kg	7.1kg
Main Material	Aluminium	Aluminium	Aluminium

ROLLATORS, WALKING AIDS & COMMODES

**Folds
for easy
transportation**



- Adjustable handle height
- Weighs just 8.9 kg
- Puncture-proof tyres



- Storage bag & cup holder
- Sturdy aluminium frame
- Puncture-proof tyres



- Adjustable handle height
- Storage bag under seat
- Puncture-proof tyres

Specifications	Multi Tasker Rollator - CA8870L	Solid Rollator - CA8761L	MIO Easy Roller Deluxe - CA8861L
ISO Certs Number	ISO13485:2016	ISO13485:2016	ISO13485:2016
Adjustable Backrest	Yes	No	Yes
Adjustable Seat Height	No	Yes	No
Adjustable Handle Height	840 -970	850-990	810 - 930
Dimensions (L x W x H)	1050 x 640 x 840-970 (adjustable)	760 x 570 x 850-990 (adjustable)	610 x 650 x 810 - 930 (adjustable)
Dimensions when folded	850 x 735 x 205	440mm x 570mm x 850mm	220 x 650 x 810
Distance between armrests	500mm	450mm	430
Drive Wheel	203mm	200mm	190mm
Front Wheel	203mm	190mm	190mm
Heaviest part	TBC	7.6kg	7.5kg
number of components	3 (main frame, 2x footrest)	1	1
Seat Dimensions (w x d)	460 x 310	450 x 330	400 x 240
Seat height from floor	550mm	560 - 605mm	550mm
Seat padding	Firm	Medium	Firm
Total height	840 -970 (height adjustable handles)	850-990	810 - 930 (adjustable handle height)
Tyres	Solid Puncture Proof	Solid Puncture Proof	Solid Puncture Proof
Weight Capacity	100kg	100kg	100kg
Total Weight	8.9kg	7.6kg	7.5kg
Main Material	Aluminium	Aluminium	Aluminium

ROLLATORS, WALKING AIDS & COMMODES

Non-motorized mobility equipment



- Lightweight carbon fibre frame
- Puncture-proof tyres
- Storage under seat

- Strong, ultra-light frame
- 205kg weight capacity
- Fully adjustable suspension

- Lightweight
- Convenient plastic tray
- Storage Bag underneath

Specifications	Peak Ellipse Superlite Carbon Fibre - 6376000611	Peak Ellipse Heavy Duty - 9346376000611	Peak Ellipse Indoor Walker - 9346376080088
ISO Certs Number	TBC	TBC	ISO11199-2
Adjustable Backrest	Yes	Yes	N/A
Adjustable Seat Height	No	No	N/A
Adjustable Handle Height	835 - 960	835 - 960	835 - 945
Dimensions (L x W x H)	680 x 600 x 835 - 960 (adjustable)	680 x 600 x 835 - 960 (adjustable)	660 x 540 x 945 660 x 260 x 835
Dimensions when folded	680 x 260 x 835	680 x 260 x 835	390mm
Distance between armrests	445mm	445mm	175mm
Drive Wheel	200mm	200mm	175mm
Front Wheel	242mm	242mm	4.55kg
Heaviest part	6.45kg	6.45kg	2 + Tray
number of components	1 + bag	1 + bag	No Seat
Seat Dimensions (w x d)	454 x 220	454 x 220	N/A
Seat height from floor	520mm	520mm	N/A
Seat padding	Firm	Firm	835 - 945 (Adjustable)
Total height	835 - 960 (adjustable)	835 - 960 (adjustable)	Solid Puncture Proof
Tyres	Solid Puncture Proof	Solid Puncture Proof	100kg
Weight Capacity	120kg	120kg	6.6kg
Total Weight	6.8kg	6.8kg	Aluminium
Main Material	Carbon Fibre	Carbon Fibre	TBC

ROLLATORS, WALKING AIDS & COMMODES

Light &
Strong Carbon
Fibre frames



- Adjustable handle height
- Weighs just 7.2 kg
- Puncture-proof tyres



- Storage bag
- Sturdy carbon fibre frame
- Puncture-proof tyres



- Adjustable handle height
- Storage bag under seat
- Puncture-proof tyres

Specifications	MIO Carbon X Rollator - RO1001G	MIO Carbon Tall Rollator - RO1006	MIO Carbon Regular Rollator - RO1005
ISO Certs Number	TBC	TBC	TBC
Adjustable Backrest	No	No	No
Adjustable Seat Height	No	No	No
Adjustable Handle Height	760 - 980	780 - 930	720 - 855
Dimensions (L x W x H)	620 x 625 x 760 - 980 (adjustable)	640 x 640 x 780 - 925 (adjustable)	640 x 640 x 720 - 855 (adjustable)
Dimensions when folded	620 x 620 x 760	640 x 265 x 925	640 x 260 x 950
Distance between armrests	455mm	455mm	455mm
Drive Wheel	200mm	200mm	200mm
Front Wheel	200mm	200mm	200mm
Heaviest part	7.4kg	5.8kg	5.8kg
number of components	1 + Bag	1 + Bag	1 + Bag
Seat Dimensions (w x d)	410 x 340	470 x 300	455 x 300
Seat height from floor	580mm	650mm	565mm
Seat padding	Medium	Firm	Firm
Total height	760 - 980 (Adjustable)	780 - 930 (Adjustable)	720 - 855 (Adjustable)
Tyres	Solid Puncture Proof	Solid Puncture Proof	Solid Puncture Proof
Weight Capacity	120kg	135kg	135kg
Total Weight	7.20kg	6.05kg	6.00kg
Main Material	Carbon Fibre	Carbon Fibre	Carbon Fibre

ROLLATORS, WALKING AIDS & COMMODES

Non-motorized mobility equipment



- Adjustable knee height
- Contoured knee cushion
- Hand brakes



- Solid puncture proof tyres
- Padded knee cushion
- Carry Bag

Specifications	MIO Recover Knee Walker CA8776-B	Recover Knee Walker
ISO Certs Number	ISO13485:2016	ISO13485:2016
Adjustable Backrest	N/A	No
Adjustable Seat Height	43mm to 53mm	Yes - 530-600
Adjustable Handle Height	890 - 990	Yes - 855 - 930
Dimensions (L x W x H)	800 x 430 x 890-990 (height adjustable handles)	770 x 560 x 855 - 930 (Adjustable)
Dimensions when folded	N/A	960 x 325 x 560
Distance between armrests	N/A	500mm
Drive Wheel	200mm	200mm PVC
Front Wheel	240mm	200mm PVC
Heaviest part	10.15kg	7.1kg
number of components	3 (seat, bag, frame)	1
Seat Dimensions (w x d)	175 x 330	370 x 250
Seat height from floor	430 - 530	530mm - 600mm
Seat padding	Medium	Medium
Total height	890mm - 990mm	855 - 930 (adjustable)
Tyres	Solid Puncture Proof	Solid Puncture Proof
Weight Capacity	100kg	100kg
Total Weight	10.65kg	7.1kg
Main Material	Aluminium	Aluminium

ROLLATORS, WALKING AIDS & COMMODES

Non-motorized mobility equipment



- Hand brakes
- Folds for easy transport
- Large storage bag and basket



- Doubles as a seat
- Large storage pouch
- Lockable brakes

Specifications	MIO Avanzo Rollator - CA891L	MIO Triad Rollator - CA894
ISO Certs Number	TBC	ISO13485:2016
Adjustable Backrest	Yes	No
Adjustable Seat Height	No	No
Adjustable Handle Height	810 - 930	850 -1010
Dimensions (L x W x H)	720 x 560 x 810 - 930 (Adjustable)	650 x 615 x 850-1010 (height adjustable handles)
Dimensions when folded	750 x 280 x 810-930	630x 240 x 850
Distance between armrests	475mm	350
Drive Wheel	190mm	190mm
Front Wheel	240mm	190mm
Heaviest part	7.32kg	6.1kg
number of components	1 + Bag	1
Seat Dimensions (w x d)	450 x 320	465 x 340
Seat height from floor	590mm	545mm
Seat padding	Firm	Firm
Total height	810 - 930 (Adjustable)	850-1010mm
Tyres	Solid Puncture Proof	Solid Puncture Proof
Weight Capacity	130kg	100kg
Total Weight	7.35kg	6.1kg
Main Material	Aluminium	Aluminium

OTHER MOBILITY AIDS

MIO Shower Concert Chair

CA3563L



- Height adjustable
- Non-slip rubber feet
- 100kg weight capacity

Aluminium Shower Chair

CA3511L-KD



- Height adjustable
- Non-slip rubber feet
- Rust free aluminium

Pembrey Corner Shower Stool

VB636



- 159kg weight capacity
- Height adjustable
- Rust free aluminium

Astral Perching Stool

VG865



- 159kg weight capacity
- Adjustable seat height
- Padded seat & backrest

High Back Day Chair

RM533



- Height adjustable
- 205kg weight capacity
- Easy clean vinyl

Low Back Day Chair

RM535



- Height adjustable
- 125kg weight capacity
- Easy clean vinyl

OTHER MOBILITY AIDS

Essex Bedside Commode

VR161G



- 154kg weight capacity
- Padded seat and backrest
- Height adjustable

Over Toilet Commode

C8560-A-FX



- 160kg weight capacity
- Included splash guard
- Aluminium frame

MIO Commode With Hinged Lid

CA618-KD



- Lightweight
- Adjustable height
- Hinged lid

MIO Swivel Stool

CA354L



- Strong, sturdy design
- Seat spins 360°
- Under seat towel & storage rack

Ashford Toilet Surround

VR205



- Helps getting on/off toilet
- 190kg weight capacity
- Height adjustable

Strood Shower Stool

VB635AL



- 159kg weight capacity
- Height adjustable
- Lightweight and portable

OTHER MOBILITY AIDS

Peak Go Seat Shopping Trolley

9346376060523



- Large storage capacity
- Folds to become a seat
- Lightweight

Dimensions (L x W x H)	350x420x620mm
Net Weight	2.5kg
Seat Height	600mm

Seat Dimensions (w x d)	330 x 360mm
Weight Capacity	100kg
Available Sizes	One size standard

MIO Zimmer Zoom

CA8119L

MIO I-Frame

CA812LMG

- Height adjustable
- Strong aluminium frame
- Lightweight



- Height adjustable
- Foldable
- Strong & Lightweight



MIO Aqua Boost Shower Chair

CA3561L

MIO Aqua Safe Shower Chair

CA3521L-KD



- Height adjustable
- Rubber feet for grip
- 100kg weight capacity



- Height adjustable
- Rubber feet for grip
- Padded armrests

OUR WA CUSTOM MADE ADJUSTABLE BEDS



We have an extensive range of adjustable beds available and have the look and feel of a sophisticated ensemble but with all the benefits and ease of a hospital bed. We custom make all beds on-site here in Perth, at our Osborne Park premises, using high-grade carbon steel frames, made with higher density steel than many others on the market for superior strength and longevity.



The motors are manufactured in Germany to hospital standards. This means they are sealed against dust and water, and for your safety, protected by a thermal overload switch. Based on your personal needs, we can fit different motor options, including back-lift, leg-lift and massage. Motobility can cater for all regular bed sizes as well as custom sizes.

HEAD LIFT FUNCTION



REGULAR




HEAD LIFT



FEATURES

- Will raise the head of the bed up to 60 degrees.
- Can be used in conjunction with the Hi-Lo function, making it a Headlift Hi-Lo.
- Lifting the head of the bed will allow for easier entering / exiting of the bed.
- Perfect for reading, watching TV and sitting up to eat.
- Massage function available

Minimum Base Height (Floor to top)	250mm
Maximum Base Height (Floor to top)	No Limit
Minimum Bed Height (Including Mattress)	450mm
Maximum Bed Height (Including Mattress)	No Limit
Standard Bed Height	565mm
Maximum Lift	N/A
Leg Elevation	N/A
Head Lift Angle	60°



AVAILABLE IN ALL
MATTRESS SIZES

DUAL LIFT FUNCTION



REGULAR



HEAD LIFT



LEG LIFT




ZERO GRAVITY



FEATURES

- Allows you to independently control the backrest of the bed and feet of the bed.
- Head-lift will raise the Head of the Bed up to 60 degrees.
- Leg-lift includes a knee break, lifting the legs from the knees for additional comfort and allow a raise of up to 270mm.
- Can be used with the Hi-Lo function, making this bed a Hi-Lo Dual Lift.
- Allows you to reach a maximum level of comfort in your bed.
- Massage function available

Minimum Base Height (Floor to top)	250mm
Maximum Base Height (Floor to top)	No Limit
Minimum Bed Height (Including Mattress)	450mm
Maximum Bed Height (Including Mattress)	No Limit
Standard Bed Height	565mm
Maximum Lift	N/A
Leg Elevation	0-270mm
Head Lift Angle	60°



AVAILABLE IN ALL
MATTRESS SIZES

HI-LO FUNCTION



REGULAR




HI-LO



FEATURES

- Will lift the bed horizontally by up to 340mm.
- Can be used in conjunction with the Dual lift function and head-lift function.
- This function is required by some in-home care services due to Occupational Health and Safety of their staff.
- The horizontal lift function can be used as assistance in entering and exiting your bed. Suitability depends on the type of mattress and the abilities of the user.
- Massage function available

Minimum Base Height (Floor to top)	330mm
Maximum Base Height (Floor to top)	No Limit
Minimum Bed Height (Including Mattress)	530mm
Maximum Bed Height (Including Mattress)	No Limit
Standard Bed Height	565mm
Maximum Lift	340mm
Leg Elevation	N/A
Head Lift Angle	60°



AVAILABLE IN ALL
MATTRESS SIZES

SPLIT SYSTEM ADJUSTABLE BED



REGULAR



HEAD LIFT



LEG LIFT



ZERO GRAVITY



FEATURES

- Perfect for couples.
- Available in Split-Queen and Split-King sizes.
- Allows each individual to choose separate functions and mattresses.
- Companion beds are available, which have no functions, but can have functions retro-fitted at any given time in the future.
- Great option if one individual has higher care needs than the partner.
- Companion Beds are a great way to reduce costs.
- Massage function available



2 x Long Small Singles = Split Queen



2 x Long Singles = Split King

PEAK HOME CARE BED



AVAILABLE FUNCTIONS



REGULAR



HI-LO



HEAD LIFT



LEG LIFT



TRENDELBURG & REV



FEATURES

- Fully featured home care style electric bed.
- Durable powder coated frame.
- Australian Standards compliant.
- Linak Motor system with battery back-up.
- 10 Years Limited warranty (frame)
- 2 Years Full Warranty (Electrics, Motor)
- Full range of accessories available.
- Bed surrounds available in two fabric colours - Midnight and Mist.

ACCESSORIES

- High Side Bed Rail
- Low Side Bed Rail
- Clamp On Bed Stick



HANDSET

Simple 10 button backlit handset.

BED SURROUNDS COLOURS

MIDNIGHT
(SJ5002)

MIST
(SJ5001)

Available in King
Single size

Max bed height	73cm
Min bed height	26cm
Length	213cm
Width	117cm
Trendelenburg & Rev	-15° to +15°
Maximum Patient Weight	180kg
Product Weight	94kg
Recommended mattress length	203cm
Recommended mattress width	107cm
Backrest adjustment	0 to 70°
Knee-break adjustment	0 to 35°

LUXURY SUPPORT MATTRESS

Main Material	 Bonnell Spring with Pillowtop
Feel	 Medium Plush
Quilting	Wool Blend
Height	200mm
Edge Support	Medium
Recommended Sleeping Positions	 Back Sleeper
	 Active Sleeper
Pressure Rating	 Low Risk

LUXURY SUPPORT

Our Luxury Support builds on the Perfect Support, still utilizing a Bonnell Orthoflex Luxury Support Innerspring system, we added a comfort pillow-top, as well as a Edge Care Comfort Plus foam box system, creating a luxurious comfort feel and maximizing the sleep surface and decreasing the risk of rolling out of beds. Slightly less bouncy, yet very supportive.

MATTRESS INTERNALS



- 1 Wool Blend Comfort Firm Quilting
- 2 Body Contouring Comfort Plush
- 3 Body Contouring Enhanced Comfort
- 4 Edge Care Comfort Plus
- 5 Slimline Bonnell Orthoflex Springs
- 6 Foam Layer


RESPONSE CONTOUR MATTRESS

Main Material	 Pocket Spring/ Gel Infused Latex
Feel	 Med/Firm
Quilting	Wool Blend
Height	200mm
Edge Support	Strong
Recommended Sleeping Positions	 Tummy Sleeper
	 Back Sleeper
	 Min. Partner Disturb
Pressure Rating	 Low to Medium Risk

RESPONSE CONTOUR

This mattress is a hybrid of two of the most popular mattresses a spring system and latex. The pocket spring system has been engineered to intuitively respond to your bodyweight an shape, for individual support and minimal partner disturbance. The Natural Gel-infused Latex provides the comfort and health benefits of a Latex mattress.

MATTRESS INTERNALS



1 Wool Blend Comfort Firm Quilting

2 Latex Gel Infused

3 Comfort Support Plus

4 Edge Care Comfort Plus

5 Contour Response Pocket Spring

6 Comfort Support Plus


QUANTUM COMFORT MATTRESS

Main Material	 Gel Infused Memory Foam
Feel	 Plush
Quilting	Wool Blend
Height	200mm
Edge Support	Medium
Recommended Sleeping Positions	 Side Sleeper
	 Min. Partner Disturb
Pressure Rating	 High Risk

QUANTUM COMFORT

Similar to our Flexiblock mattress, yet combined with our gel-infused latex and available with a regular quilting. The Quantum Comfort gives the utmost in satisfaction, both for your health and comfort. You don't lie on this mattress... It holds you. Also infused with Fusion Gel, the Quantum Comfort will assist with helping to regulate body temperature.

MATTRESS INTERNALS



- 1 Wool Blend Comfort Firm Quilting
- 2 Fusion Gell Layer
- 3 Edge Care Comfort Plus
- 4 Body Contouring Enhanced Comfort
- 5 Quantum Comfort Layer


NATURES CONTOUR MATTRESS

Main Material	 Gel Infused Latex
Feel	 Plush
Quilting	Wool Blend
Height	200mm
Edge Support	Medium
Recommended Sleeping Positions	 Active Sleeper
	 Side Sleeper
	 Min. Partner Disturb
Pressure Rating	 Low Risk

NATURES CONTOUR

The Natures Contour Mattress is the Ultimate adjustable bed mattress. It conforms and supports the body ergonomically without resisting body weight but instead welcomes it and makes you feel like you are lying on the mattress, rather than in it. Our natural latex has been infused with gel particles to increase it's temperature regulation properties.

MATTRESS INTERNALS



- ① Wool Blend Comfort Firm Quilting
- ② Body Contouring Enhanced Comfort
- ③ Latex Gel Infused
- ④ Foam Layer


FLEXIBLOCK MATTRESS

Main Material	 Memory Foam
Feel	 Firm or Medium
Quilting	Carrflex Waterproof Cover
Height	200mm
Edge Support	Strong
Recommended Sleeping Positions	 Tummy Sleeper
	 Back Sleeper
	 Min. Partner Disturb
Pressure Rating	 Very High Risk

FLEXIBLOCK


Our Flexiblock mattress is an entry level pressure relieving mattress. It comes with a waterproof Dartex cover, which offers a breathable surface that also assists in minimizing shearing. It is built out of 4 different types of foam and has a 50mm memory foam topper, which is available in two different feels medium to plush and firm.

MATTRESS INTERNALS



- 1 Waterproof Membrane
- 2 Pressure Relieving Foam
- 3 Plush Comfort Foam
- 4 Edge Care Comfort Plus
- 5 Weight Absorbing Foam

PERFECT SUPPORT MATTRESS


Main Material	 Bonnell Spring
Feel	 Medium
Quilting	Wool Blend
Height	200mm
Edge Support	Soft
Recommended Sleeping Positions	 Back Sleeper
	 Active Sleeper
Pressure Rating	 Low Risk

PERFECT SUPPORT

Our Perfect Support is a Bonnell Orthoflex Innerspring mattress, with Ortho 3-zone support to assist with correct spinal alignment.


It offers a nice bounce and cloud like comfort feel, yet offers a lot of support all with a medium plush feel.

MATTRESS INTERNALS



- ❶ Wool Blend Comfort Firm Quilting
- ❷ Foam Layer
- ❸ Everlast Insulation Pad
- ❹ Bonnell 3-Zone Orthoflex Springs
- ❺ Everlast Insulation Pad


METZELER PRESSURE CARE MATTRESS

Material	Made from eco-friendly materials like sunflower oil, instead of petroleum products
Feel	 Soft or Medium
Quilting	Waterproof Co
Height	180mm
Edge Support	Strong
Recommended Sleeping Positions	 Side Sleeper
	 Back Sleep
	 Min. Partner Disturb
Pressure Rating	 Very High Risk

METZELER PRESSURE CARE

Incorporating patented Rubex™ Duo Cell technology, a Metzeler Mattress will provide you with the perfect night's sleep. A Metzeler mattress offers superior comfort and support which provides optimal pressure distribution, ventilation and spinal alignment.

MATTRESS INTERNALS



- 1** Waterproof, breathable cover that's moisture-managing, easily removable, and washable at 95°C
- 2** Mattress structure and materials provides superior thermoregulation
- 3** Multi-zone system offers optimal postural support and pressure distribution
- 4** Reinforced foam edges
- 5** Weight Absorbing Foam

BED SURROUNDS



Whilst all our Beds are freestanding and have four lockable heavy duty casters for easy movement, you may want to choose a bed surround to match your current interior. We offer a range of upholstered bed surrounds, including WA custom-made designs, which will give you a lot of creative freedom to achieve your desired look. We also offer bed-mounted custom-made head and foot-boards.



BED ACCESSORIES, PILLOWS & MANCHESTER

Bed Accessories can make a world of difference on how you use your bed on a day to day basis. While you may not need any accessories, it's good to keep the selection in mind, in case your needs change. Sometimes we don't realise how much a small aid can help assist us with our daily living. Motobility's specially trained team work together with the Health industry and Occupational Therapists to listen to your needs and advise you on which accessory product will work best for you.



Bed Rail Hoop Design



Under Mattress Bed Pole



Under Mattress Bed Rail



Collapsible Side Rail



Over Bed Table



Mattress Protector



Waterproof Dartex Cover



Pillows



Angled Heavy Duty Bed Rail

BED SIZES AND MEASUREMENTS



Standard Single
920mm x 1870mm
3' x 6'1" (inch)



Long Single
915mm x 2030mm
3' x 6'8" (inch)
x2 = Split King



Standard Double
1370mm x 1870mm
4'5" x 6'1" (inch)



Long Small Single
762mm x 2030mm
2'6" x 6'8" (inch)
x2 = Split Queen



King Single
1067mm x 2030mm
3'6" x 6'8" (inch)



Long Double
1371mm x 2030mm
4'6" x 6'8" (inch)



Queen
1524mm x 2030mm
5' x 6'8" (inch)



King
1824mm x 2030mm
6' x 6'8" (inch)



All mattresses have a 200kg max weight capacity

WA CUSTOM MADE CHAIRS

Our WA custom made chairs are handcrafted to your measurements and requirements. You can customise the shape of the back, seat size, leg length and the colour of fabric. We also have a large range of material options including waterproof fabrics, leather and denim that will allow you to design a chair that suits your décor and your personality.

Made to your measurements right here in WA, so you can rest assured knowing that you have a high quality product that will last. That is why we offer a comprehensive 5 year warranty on all new custom-made lift and recline chairs. This includes the motor, frame and fabric.



CHAIR BACK STYLES



COMFORT 2-ROLL BACK


A two roll soft backrest, best suited at users that enjoy to recline in their chair. The WA-made option, offers zips for stuffing adjustment as well as an additional lumbar support pocket with inserts.



CLASSIC BACK

A higher style back, with an adjustable, removable flip-cushion for additional neck support. This style back offers a firmer more supportive feel with a slightly contoured back to assist in posture control.

MEASUREMENT GUIDE



MEASUREMENT GUIDE

All custom-made chairs are available with a **Classic Back** or a **Two-Roll Comfort Back**. Chairs can be made with greater variations and extra large lifting capacities but require a custom-made frame (additional fees apply).

Name	Classic Back				Comfort 2-Roll Back				Tilt In Space
Size (mm)	Small	Medium	Large	X Large	Small	Medium	Large	X Large	Medium
Seat Width (SW)	440	470 - 510	520 - 560	600 - 660	440	470 - 510	520 - 560	600 - 660	500
Seat Height (SH)	480	480	500	500	480	480	500	500	520
Seat Depth (SD)	470 - 510	510 - 550	520 - 560	520 - 560	470 - 510	480 - 520	480 - 520	520 - 560	480 - 500
Backrest Height (BH)	580 - 620	680 - 720	740 - 780	740 - 780	580 - 620	610 - 650	640 -680	740 - 780	680 - 720
Footrest Length (FL)	260 - 270	260 - 270	260 - 270	260 - 270	260 - 270	260 - 270	260 - 270	260 - 270	270
Max Back Lift (BL)	560	560	560	560	560	560	560	560	580
Min Front Gap (FG)	170	170	170	170	170	170	170	170	155
Total Width (TW)	725 - 765	860 - 900	930 - 970	930 - 970	725 - 765	860 - 900	930 - 970	930 - 970	870
Total Depth (TW)	860 - 900	920 - 960	1030 - 1070	1030 - 1070	860 - 900	920 - 960	1030 - 1070	1030 - 1070	750
Lumbar Area	Not Adjustable				Increase by upto 80mm				
Extra Height	Wheels are an added extra and can increase overall seat height by 20mm								
Even More Height	Increase the mechanical height by adding extra bars. Min increase 25mm - Max increase 150mm								

*Because these chairs are hand-made, measurements may vary from product to product.

All stocked chairs are available with a **Classic Back** or a **Two-Roll Comfort Back** in a large range of fabric and leather options.

Name	Classic Back			Comfort 2-Roll Back			Lumbar Chair	
Size (mm)	Small	Medium	Large	Small	Medium	Large	Medium	Large
Seat Width (SW)	420	480	530	420	470	540	490	540
Seat Height (SH)	480	540	540	480	480	500	480	480
Seat Depth (SD)	490	520	480	490	500	500	490	500
Backrest Height (BH)	600	750	800	600	630	660	730	790
Footrest Length (FL)	330	330	330	330	330	330	330	330
Max Back Lift (BL)	530	530	530	520	560	530	520	505
Min Front Gap (FG)	150	190	160	150	170	160	200	180
Total Width (TW)	745	880	950	745	880	950	780	770/830
Total Depth (TW)	880	940	1050	880	950	1050	870	910
Lumbar Area	Not Adjustable							
Extra Height	Wheels are an added extra and can increase overall seat height by 20mm							
Even More Height	Increase the mechanical height by adding extra bars. Min increase 25mm - Max increase 150mm							

*Because these chairs are hand-made, measurements may vary from product to product.

THE WALLGLIDER



CHAIR FUNCTIONS	
 Chair Lift	✓
 Seated	✓
 Independent Leg Lift	✓
 High Leg Lift	✗
 High Leg Recline	✗
 Independent Recline	✓
 Recline + Leg Lift	✗
 Recline + Straight Leg Lift	✓
 Sleep Recline	✗

The Motobility Wallglider is the perfect chair for small rooms. As it goes through it's recline action the chair pivots and moves forwards away from the wall. This allows you to leave minimal space between the chair and the wall.

The recline action has been split into two distinct movements, where the leg rest can raise and lower without the backrest moving, allowing you to elevate your feet whilst sitting upright. We refer to this the reading position, although it is also great for enjoying a Cuppa with a biscuit or two.

The backrest can only recline once the legs have been fully elevated. Simply continue to push the button that raised your footrest and the backrest will start to recline. You can halt the motion at any time.



You may want to recline slightly for a more relaxing position to watch TV, or continue the recline up to 45 degrees for a comfortable afternoon nap.

Thanks to the easy to use 2-button remote, this chair is also suitable for users with limited cognitive functions, or people that love simplicity. The Wallglider is available in three frame sizes of small, medium and large, please refer to our measurement guide for sizing.

THE BED CHAIR




CHAIR FUNCTIONS	
 Chair Lift	✓
 Seated	✓
 Independent Leg Lift	✓
 High Leg Lift	✗
 High Leg Recline	✗
 Independent Recline	✓
 Recline + Leg Lift	✓
 Recline + Straight Leg Lift	✓
 Sleep Recline	✓

The Motobility Bed Chair is the perfect chair for those looking for ultimate flexibility in choosing a seating positions. The Bed Chair has two motors; one to control the movement of the leg rest and the other to control the movement of the backrest.

The backrest can be reclined to a fully horizontal position, while the leg rest can be fully extended, allowing you to effectively turn your chair into a horizontal surface, giving this chair it's name.

The ability to control the two movements separately provides an enormous range of flexibility when it comes to seating positions and leg lift angles. This function can be very useful for people who suffer from limited flexibility in their backs.



The movement of the chair allows the user to have a chair that they can truly sleep in. While we don't recommend this chair to be used as a bed replacement, it allows for longer more comfortable naps throughout the day.

Custom extra large bariatric options are available. They offer an increased weight capacity of 180kg and feature wider seat dimensions.

THE LUMBAR CHAIR




CHAIR FUNCTIONS	
 Chair Lift	✓
 Seated	✓
 Independent Leg Lift	✓
 High Leg Lift	✗
 High Leg Recline	✗
 Independent Recline	✓
 Recline + Leg Lift	✓
 Recline + Straight Leg Lift	✓
 Sleep Recline	✓

Functions & Features

The Lumbar Chair is the ultimate lift and recline chair featuring four independent motors for maximum adjustability and comfort. The top motor adjusts the head and neck piece. Another motor independently reclines the back, another lifts the legs, and the fourth motor moves the lower back area of the chair, creating the perfect customised support for your lower back.

The chair also lifts you all on its own which is perfect for anyone who struggles with standing. You can also keep your new chair in its raised position, sit down and use the controller to gently slide yourself back down to a fully seated position easily and carefully without the need to have to lower yourself all the way down to the chair's seat on your own.



This chair comes in a medium sized frame only with durable, long wearing fabric, a side pocket and light up controller.

THE TILT IN SPACE CHAIR



CHAIR FUNCTIONS

 Chair Lift	✓
 Seated	✓
 Independent Leg Lift	✗
 High Leg Lift	✓
 High Leg Recline	✓
 Independent Recline	✗
 Recline + Leg Lift	✗
 Recline + Straight Leg Lift	✗
 Sleep Recline	✗

Functions & Features

The Motobility Tilt in Space chair is perfect for people with hip and back flexion problems as it allows for a relaxed seating and tilting position, without changing the hip to back angle.

Similar to the Wallglider the Tilt in Space Chair allows you to sit upright with your legs raised, separating the Leg-raise and tilting function into two distinct movements.

Unlike traditional reclining chair, this chair tilts back, offering a feeling similar to a recline, without changing the angle of the backrest, hence minimizing shearing and the risk of pressure injuries.

2 Button



Remote

120kg



Weight Capacity

Out of all our Lift Chairs the Tilt in space offers by far the highest leg raise, with the legs being raised substantially above the hips, making this a perfect choice for people who suffer from poor circulation.

THE ZERO GRAVITY CHAIR



CHAIR FUNCTIONS

 Chair Lift	✓
 Seated	✓
 Independent Leg Lift	✓
 High Leg Lift	✓
 High Leg Recline	✓
 Independent Recline	✓
 Recline + Leg Lift	✓
 Recline + Straight Leg Lift	✓
 Sleep Recline	✓

Our Zero Gravity chairs offer rare functions that are unique to other lift and recline chairs. Both chairs not only tilt back in a comfortable, relaxing position, they also have the ability to raise your legs beyond 90 degrees. When you tilt back in a Zero Gravity chair, the pressure you normally feel sitting upright shifts to different parts of the body.

This offers pressure relief for your back, legs and other areas that become sore such as the calves or the coccyx (tailbone). Sitting in this position for small periods throughout the day, instead of constantly being in a fully horizontal or upright position can assist with preventing pressure sores and help minimise the pain or discomfort caused by sitting or lying down for long periods.

- Tilts and reclines back allowing legs to rise above the head.
- Raise legs higher than 90 degrees.
- Assist with relieving pressure on back, legs, tailbone.
- Can help prevent pressure sores and discomfort.
- Medium and large sizes available.

4 Button



Remote

120kg



Weight Capacity

THE SWIVELLO




Functions & Features

Backrest recline, chair lift, 360 swivel, magnetic remote, in-built battery back-up and adjustable headrest.

The Swivello lift & recline chair by Mio offers the ultimate combination of modern Italian design and functionality. This three-motor lift and recline chair impresses with its ability to be operated without being connected to a power outlet thanks to its in built battery back-up.

The three independently operated motors allow for full control of the footrest, backrest and lift functions. While the 360°swivel affords you flexibility and can be locked in place for additional stability when using the lift function.

Colours



Black





Grey



Mocha

Dimensions



CHAIR FUNCTIONS	
 Chair Lift	✓
 Seated	✓
 Independent Leg Lift	✓
 High Leg Lift	✗
 High Leg Recline	✗
 Independent Recline	✓
 Recline + Leg Lift	✓
 Recline + Straight Leg Lift	✓
 Sleep Recline	✓
130KG capacity & 6 button remote	

THE VENETO



CHAIR FUNCTIONS

 Chair Lift	✓
 Seated	✓
 Independent Leg Lift	✓
 High Leg Lift	✗
 High Leg Recline	✗
 Independent Recline	✓
 Recline + Leg Lift	✓
 Recline + Straight Leg Lift	✓
 Sleep Recline	✓

120KG capacity & 4 button remote

Functions & Features

Backrest recline, chair lift, adjustable footrest, bed chair function & corded remote.

Featuring a modern Italian design, the Veneto is a fully electric dual motor lift & recline chair that allows you to adjust the footrest and backrest completely independently from each other.

To get out of your chair, simply use the lift function to reach a position that allows you to easily enter or exit your chair. It also features a manual adjustable headrest.

The easy-to-use corded remote can be stored in the side pocket, ensuring it's always within reach without getting in the way.

4 Button



Remote

120kg



Weight Capacity

THE CONFIGURA



Functions & Features

The Configura comfort lift & recline chair is a dual-motor lift and recline chair that is available in 4 different sizes (small, medium, large and bariatric).

As the name suggests, this rise-and-recliner is designed to be easily configurable to suit a number of different needs.

Unlike other chairs, the Configura range of chairs comes with a number of different “accessories,” which, when fitted, fully transform the chair into a customised product.

The accessories can be changed and amended at any given time to suit a customer’s changing needs. Thanks to the corded handset and transfer aid compatible base, the design allows for easy operation.

This chair is available in a small, medium and large sizes.

4 Button



Remote

**130kg &
160kg**



**Weight
Capacity**

CHAIR FUNCTIONS	
 Chair Lift	✓
 Seated	✓
 Independent Leg Lift	✓
 High Leg Lift	✓
 High Leg Recline	✓
 Independent Recline	✓
 Recline + Leg Lift	✓
 Recline + Straight Leg Lift	✓
 Sleep Recline	✓
130KG & 160KG capacity & 2 button remote or 4 button remote option	

THE IMANI




Functions & Features

Backrest recline, chair lift, adjustable footrest, bed chair function & corded remote.

The Imani dual-motor lift and recline chair offers the same functions as our best-selling bedchair, but with a more sleek design perfect for smaller spaces. Offering individual motors for the backrest and footrest the Imani lifting chair offers an endless option of seating positions with a full 180° degree recline.

The corded remote can easily be stored in the side-pocket. The lift function will easily and safely bring you to a standing position.

Colours



Black




Grey



Mocha

Dimensions

Medium - Large



CHAIR FUNCTIONS

 Chair Lift	✓
 Seated	✓
 Independent Leg Lift	✓
 High Leg Lift	✗
 High Leg Recline	✗
 Independent Recline	✓
 Recline + Leg Lift	✓
 Recline + Straight Leg Lift	✓
 Sleep Recline	✓

130KG capacity & 4 button remote

STAIRLIFTS



STRAIGHT STAIRLIFTS

As the name suggests, straight stairlifts are designed for home that feature straight staircases that have no bends or corners. These models are slim and unintrusive, ensuring that they don't interfere visually or physically.

CURVED STAIRLIFTS

Curved stairlifts are specially designed for homes that have bends, corners and landings in the design of their staircase. These models run along a custom-made rail that curves easily around the corners or bends of your staircase.

OUTDOOR STAIRLIFTS

Outdoor stairlifts are very popular, as they allow you to independently get in and out of your home with ease. Outdoor stairlifts are specially designed for use in outdoor situations, all parts and components, including the seat and rail, are made to withstand the elements.

OUTDOOR CURVED STAIRLIFTS

Outdoor curved stairlifts are now available. Outdoor stairs with bends, curves and corners can now have a stairlift added, designed to withstand the outdoor elements.

STRAIGHT STANNAH SIENA

Comfortable & Safe

The generously upholstered, padded seat and supportive high back offer total comfort

Chair width options

425mm arm rest width
slim model
496mm arm rest width
standard model

Easy-to-use controls

Our easier-to-use, slimline control makes operating your Siena effortless

Seatbelt

Choose from four seatbelt options

Easy-to-use swivel levers

Use the levers, or optional one or two-way automatic swivel, to get off your stairlift in the safest position at the top or bottom of your stairs

Safety edges

Sensors stop your Siena if they detect any obstructions on the stairs

Arm isolation

Prevents your Siena from operating using the control until the armrest nearest the bottom of the staircase is fully lowered

Easy folding

Armrests, seat and footrest fold neatly away to leave ample space on your stairs




On-off switch

Optional powered footrest

Our optional powered footrest is ideal if you have difficulties lifting your feet to get on to your stairlift

Adjustable seat height

Ensures your stairlift seat and footrest are perfectly positioned to your height to complete your comfort



STRAIGHT STANNAH STARLA

Comfortable & Safe

The generously upholstered, padded seat and supportive high back offer total comfort, while the slightly upwardly angled seat gives added security.

Easy-to-use controls

Our new, easier-to-use, slimline control makes operating your Starla effortless

Plain or wood-trim upholstery

Choose an all-fabric or all-vinyl chair, or add a dark or light wood trim

Arm isolation

Prevents your Starla from operating using the control until the armrest nearest the bottom of the staircase is fully lowered

On-off switch

Optional powered footrest

Our optional powered footrest is ideal if you have difficulties lifting your feet to get on to your stairlift

Seat sensor

An intelligent sensor prevents your Starla from moving until you are safely seated

Safety edges

Sensors stop your Starla if they detect any obstructions on the stairs

Seatbelt

Your retractable, secure seatbelt fastens and unfastens with one hand

Easy-to-use swivel levers




Use the levers, or optional one or two-way automatic swivel, to get off your stairlift in the safest position at the top or bottom of your stairs

Easy folding

Armrests, seat and footrest fold neatly away to leave ample space on your stairs

Adjustable seat height

Ensures your stairlift seat and footrest are perfectly positioned to your height to complete your comfort



STRAIGHT STANNAH SOFIA

Comfortable chair

The Sofia offers true comfort, with an elegant high back and generously upholstered, padded seat

Easy-to-use control pod

Gently move the control pod to operate your stairlift. The pod also has a key to lock your stairlift

Seatbelt

For added reassurance, you can fasten and unfasten the retractable seatbelt with one hand

Easy-to-use swivel levers

Use the levers, or optional automatic one or two-way swivel, to get off your stairlift in the safest position at the top or bottom of your stairs

Safety edges

Sensors stop your Sofia if they detect any obstructions on the stairs

Elegant upholstery

Choose from hard-wearing woven, leather or vinyl upholstery in a choice of elegant colours to match your décor

Adjustable arms

Both armrests on the Sofia can be adjusted to fit you

One-step folding

Flip up the Sofia arms and the seat and footrest follow, folding flat to leave more space on your stairs

Removable link bars




If you need side access, these can be removed to make moving between your chair and the Sofia safe and easy

Seat sensor

An intelligent sensor within the Sofia seat ensures your Sofia won't move until you're safely settled in your chair

Adjustable seat height

Ensures your stairlift seat and footrest are perfectly positioned to your height to complete your comfort



STRAIGHT STANNAH SOLUS

Comfortable chair

The Solus offers true comfort, with a cushioned back and generously upholstered, padded seat

Easy-to-use control pod

Gently move the control pod to operate your stairlift. The pod also has a key to lock your stairlift

Seatbelt

For added reassurance, you can fasten and unfasten the retractable seatbelt with one hand

Easy-to-use swivel levers

Use the levers, or optional automatic one or two-way swivel, to get off your stairlift in the safest position at the top or bottom of your stairs

Safety edges

Sensors stop your Solus if they detect any obstructions on the stairs

Stylish upholstery

Choose from hard-wearing woven, leather or vinyl upholstery in a choice of contemporary colours to match your décor

Adjustable arms

Both armrests on the Solus can be adjusted to fit you

One-step folding

Flip up the Solus arms and the seat and footrest follow, folding flat to leave more space on your stairs

Removable link bars



If you need side access, these can be removed to make moving between your chair and the Solus safe and easy

Seat sensor

An intelligent sensor within the Solus seat ensures your Solus won't move until you're safely settled in your chair

Adjustable seat height

Ensures your stairlift seat and footrest are perfectly positioned to your height to complete your comfort



CURVED STANNAH SIENA

Comfortable & classic

The generously upholstered, padded seat back offers total comfort.

Arm isolation

Prevents your Siena from operating using the control until the armrest nearest the bottom of the staircase is fully lowered

Easy-to-use controls

Simple operation with the slightest touch

Easy-to-use swivel levers

Use the levers, or optional one-way automatic swivel, to get off your stairlift in the safest position at the top of your stairs

Easy folding

Armrests, seat and footrest fold neatly away to leave ample space on your stairs

Optional powered footrest

Powered footrest is ideal if you have difficulties lifting your feet to get on to your stairlift

On-off switch


Seatbelt

Retractable seatbelt fastens and unfastens with one hand

On-off switch

Safety edges

Sensors stop your Siena if they detect any obstructions on the stairs



CURVED STANNAH SIENA XL ARMS

Comfortable & classic

The generously upholstered, padded seat back offers total comfort.

Arm isolation

Prevents your Siena from operating using the control until the armrest nearest the bottom of the staircase is fully lowered

Easy-to-use controls

Simple operation with the slightest touch

Easy-to-use swivel levers

Use the levers, or optional one-way automatic swivel, to get off your stairlift in the safest position at the top of your stairs

Easy folding

Armrests, seat and footrest fold neatly away to leave ample space on your stairs

Optional powered footrest

Powered footrest is ideal if you have difficulties lifting your feet to get on to your stairlift

On-off switch


Seatbelt

Retractable seatbelt fastens and unfastens with one hand

On-off switch

Safety edges

Sensors stop your Siena if they detect any obstructions on the stairs



CURVED STANNAH STARLA

Comfortable & Safe

The generously upholstered, padded seat and supportive high back offer total comfort, while the slightly upwardly angled seat gives added security.

Easy-to-use controls

Our new, easier-to-use, slimline control makes operating your Starla effortless

Plain or wood-trim upholstery

Choose an all-fabric or all-vinyl chair, or add a dark or light wood trim

Easy-to-use swivel levers

Use the levers, or optional one or two-way automatic swivel, to get off your stairlift in the safest position at the top or bottom of your stairs

Easy folding

Armrests, seat and footrest fold neatly away to leave ample space on your stairs

Arm isolation

Prevents your Starla from operating using the control until the armrest nearest the bottom of the staircase is fully lowered

On-off switch

Optional powered footrest

Our optional powered footrest is ideal if you have difficulties lifting your feet to get on to your stairlift

Seatbelt



Your retractable, secure seatbelt fastens and unfastens with one hand

Seat sensor

An intelligent sensor prevents your Starla from moving until you are safely seated

Safety edges

Sensors stop your Starla if they detect any obstructions on the stairs



CURVED STANNAH SOFIA

Comfortable chair

The Sofia offers true comfort, with an elegant high back and generously upholstered, padded seat

Easy-to-use control pod

Gently move the control pod to operate your stairlift. The pod also has a key to lock your stairlift

Seatbelt

For added reassurance, you can fasten and unfasten the retractable seatbelt with one hand

Easy-to-use swivel levers

Use the levers, or optional automatic one or two-way swivel, to get off your stairlift in the safest position at the top or bottom of your stairs

Safety edges

Sensors stop your Sofia if they detect any obstructions on the stairs

Elegant upholstery

Choose from hard-wearing woven, leather or vinyl upholstery in a choice of elegant colours to match your décor

Adjustable arms

Both armrests on the Sofia can be adjusted to fit you

One-step folding

Flip up the Sofia arms and the seat and footrest follow, folding flat to leave more space on your stairs

Removable link bars




If you need side access, these can be removed to make moving between your chair and the Sofia safe and easy

Seat sensor

An intelligent sensor within the Sofia seat ensures your Sofia won't move until you're safely settled in your chair

Adjustable seat height

Ensures your stairlift seat and footrest are perfectly positioned to your height to complete your comfort



CURVED STANNAH SOLUS

Comfortable chair

The Solus offers true comfort, with a cushioned back and generously upholstered, padded seat

Adjustable arms

Both armrests on the Solus can be adjusted to fit you

One-step folding

Flip up the Solus arms and the seat and footrest follow, folding flat to leave more space on your stairs

Seatbelt

For added reassurance, you can fasten and unfasten the retractable seatbelt with one hand

Easy-to-use swivel levers

Use the levers, or optional automatic one or two-way swivel, to get off your stairlift in the safest position at the top or bottom of your stairs

Safety edges

Five sensors in the base automatically detect obstructions on your stairs and bring your Solus to a prompt and gentle stop

Stylish upholstery

Choose from hard-wearing woven, leather or vinyl upholstery in a choice of contemporary colours to match your décor

Easy-to-use control pod




Gently move the control pod to operate your stairlift. The pod also has a key to lock your stairlift and an optional red light for added visibility

Removable link bars

If you need side access, these can be removed to make moving between your chair and the Solus safe and easy

Seat sensor

An intelligent sensor within the Solus seat ensures your Solus won't move until you're safely settled in your chair



CURVED OTO AIR

Stylish Design

Choose from a range of different materials to match your decor.

Easy controls

Easy to use intuitive controls.

Reverse Drive Technology

Travel partly or even entirely backwards. This prevents you from hitting the wall or handrail with your knees.

Self leveling

This unique design allows you to travel on one rail, while continuously maintaining a safe and level position.

Automatic footrest

No more bending down, simply push a button and your footrest will fold out of the way.

Footrest fold button

Seatbelt

The Seatbelt can be worn for added security.

Automatic Swivel

The chair will automatically rotate to a safe position for you to enter and exit the stairs, acting as an additional barrier to prevent accidents

Safety Sensors

The safety sensors will automatically stop the chair if any obstruction of the stairs is detected.


Raised Standard Swivel Seat

+ 40mm:
Seat to Footrest = 545mm

+ 80mm:
Seat to Footrest = 585mm

+ 120mm:
Seat to Footrest = 625mm

(Powered Swivel option will increase seat height by 10mm.)



CURVED STANNAH SADLER

Saddle style seat

This unique style seat enables a more upright posture whilst minimising the weight supported by their legs.

Directional Controls

Simple operation with the slightest of touch.

Adjustable seat height

The seat can be adjusted to the following heights during installation:

- 580 mm
- 623mm
- 667mm
- 710mm
- 754mm
- 798mm

On-off switch

Arm isolation

Prevents operation of the arm control until the armrest nearest the bottom of the staircase is fully lowered.

On-off switch

Seatbelt


Immobiliser seatbelt fitted as standard. Stairlift will not operate until it is securely fastened.

Safety edges

Sensors stop your Sadler if they detect any obstructions on the stairs.

Powered footrest

Operated when the downside arm is lowered / raised.



OUTDOOR STRAIGHT STANNAH 320

Directional controls

Mounted on either arm, the light joystick controls the stairlifts movements

LED light

Indicates that the 320 is on

Seatbelt

Foldaway padded armrests

On/off switch

Manual swivel seat

Light-touch levers on either side of the stairlift operate the swivel seat

Keyswitch

If required, the keyswitch can be used to completely immobilize the stairlift

Folding seat

The seat can be folded away for safety when not in use


Safety edges

Five sensitive safety edges immediately stop the stairlift if it meets an obstruction

Footrest

The footrest folds away for added safety when not in use

The 320 can only be installed into solid concrete, solid wood or metal





WHAT IS A PLATFORM LIFT?

Platform Lifts offer a great alternative to lengthily ramps and are specially designed to carry wheelchair users up/down the stairs safely and securely. Platform Lifts offer options for indoor use, outdoor use, curved and straight stairs. They are also designed to fold neatly up when not in use, increasing the space available for other stair users.

PLATFORM LIFTS



DELTA

The Delta platform lift provides the perfect solution to help make both straight, outdoor and indoor staircases more accessible for a wheelchair driver. This lift features a loading capacity of 300 kg which can smoothly transport even electronically powered wheelchairs.

The space-saving design allows the unit to be easily installed in almost any staircase. Thanks to the aesthetically pleasing and user-friendly design of the Delta, it can fit into any environment from your home, business or public space, to improve the user's quality of life and independence.

SPECIFICATIONS

Loading capacity: Standard 225kg (optional 300kg)

Platform width (min-max): 600 – 900 mm

Platform length (min-max): 700 – 1300 mm

Possible gradient: 0 – 50°

Speed: 0,06 – 0,12m/sec

Maximum length of straight rails: 30m

Noise level: Under 60dB

Temperature range: +45°C down to -15°C

Minimum folded width: 300 mm

Power supply (for charger): 1 × 230V / 50–60Hz

Certificates: TÜV certified to EN 81-40

FEATURES

- Available in any RAL color
- Folding seat with automatic fold-up
- Additional battery pack
- Audio-visual alert
- Stainless steel version
- 90° access ramp
- Joystick control on platform
- Outdoor Version
- Custom-made platform sizes

PLATFORM LIFTS



OMEGA

The Omega platform lift provides the perfect solution to help make both curved, outdoor and indoor staircases more accessible for wheelchair users. This lift features a load capacity of 300 kg and can easily lift even electronically powered wheelchairs.

The Omega is designed to create access over stairs with many levels, landings and curves. This list is an excellent alternative to an elevator or vertical platform lift and requires no structural changes to a staircase as the rails are mounted directly to the wall.

SPECIFICATIONS

Loading capacity: Standard 225kg (optional 300kg)

Platform width (min-max): 600 – 900 mm

Platform length (min-max): 700 – 1250 mm

Possible gradient: 0 – 67°

Speed: 0,06 – 0,15m/sec

Maximum length of rails: 85m

Noise level: Under 60dB

Temperature range: +45°C down to -25°C

Minimum folded width: 270 mm

Power supply: 1 × 230V / 50–60Hz

Certificates: TÜV certified to EN 81-40

FEATURES

- Available in any RAL color
- Folding seat with automatic fold-up
- Automatic folding platform
- Stainless steel version
- 90° access ramp
- Joystick control on platform
- Outdoor Version
- Custom-made platform sizes

VERTICAL LIFTS



LIFTBOY 1 & 2

When ramps are too long or too steep or where stairlifts or elevators are needless due to too small an altitude difference, the Liftboy is the perfect solution. Models 1 & 2 work to help users get over differences in altitude of up to 83 cms.

SPECIFICATIONS

Specs	Lift Boy 1	Lift Boy 2
Lifting Height	595mm	830mm
Load Capacity	180kg 300kg	
Lifting Speed	15mm/s	15mm/s
Min Height (Platform)	100mm	120mm
Power Supply	1x 230v	1x 230v



LIFTBOY 5

The Liftboy 5 was created to lift a wheelchair and a passenger safely up and down levels that reach up to 1300mm in height and has a loading capacity of 300 kg.

SPECIFICATIONS

Specs	Lift Boy 5
Lifting Height	1300mm
Load Capacity	300kg
Lifting Speed	25mm/s
Min Height (Platform)	120mm
Power Supply	1x 230v

OUR SERVICES



FREE IN HOME DEMOS

We feel very strongly about this service. Not only is this handy if you live a bit further away and want to save some time, but more importantly it allows you to try the product where it will be used. This is a 100% complimentary service.

You will be able to see how your new lift and recline chair would fit into your lounge room, what colour would best suit the décor and which option is the most comfortable for you. You can try your new scooter out in your suburb, see if it fits through your side gate, can manage the steep hill or driveway or comfortably fit on the narrow footpath.

While we don't have a full sized bed, we have a demo sized bed, which allows us to easily set it up in your living room, to demonstrate all the different features and for you to try the functions and mattress options. Stairlifts and platform Lifts are the one product category that we can't offer in-home demonstrations. We will however come out to your home, measure your staircase and talk you through different options and solutions for your stairs and specific requirements. We will of course have visual materials to assist your decision making process.



MOBILE SERVICING AND REPAIRS

Our team of experienced, knowledgeable and friendly delivery, service and repair technicians are here to help! We can come to your home to conduct a recommended annual service or you can bring your product to us for a more competitive price. Please make sure you book ahead as our technicians are often in high demand. If you require us to come and do a repair at your home, we will combine this with a service, helping you to save on costs.

FRIENDLY AND KNOWLEDGEABLE

We truly believe that we have a great team. It is a diverse team, from many different backgrounds, age groups and countries. Between all our employees we currently are proficient in over 6 languages. We pride ourselves on our Team and how everybody works together trying to provide the best possible product and experience to our customers.

OUR SHOWROOMS

COME & SAY HELLO:



Osborne Park

311 Selby Street North, Osborne Park, WA 6017
08 9242 7333



Joondalup

31/57 Joondalup Drive, Edgewater, WA 6027
08 9220 9040



Mandurah

2/17 Gordon Road, Mandurah, WA 6210
08 9479 3232



Mornington

851 Nepean Hwy, Mornington, Vic 3931
03 8672 8588



Brooklyn

4/706 Geelong Rd, Brooklyn, Vic 3012
03 8672 8007



Registered NDIS Provider



motobility.com.au



info@motobility.com.au



facebook.com/motobility



youtube.com/@motobilityAU



www.motobility.com.au



SCAN TO SUBSCRIBE TO OUR
YOUTUBE



Victoria

Mornington

851 Nepean Hwy, Mornington, Vic 3931
03 8672 8588

Brooklyn

4/706 Geelong Rd, Brooklyn, Vic 3012
03 8672 8007

Western Australia

Joondalup

31/57 Joondalup Drive, Edgewater, WA 6027
08 9220 9040

Osborne Park

311 Selby Street North, Osborne Park, WA 6017
08 9242 7333

Mandurah

2/17 Gordon Road, Mandurah, WA 6210
08 9479 3232